

IEEE P802.3cd 50 Gb/s, 100 Gb/s, 200 Gb/s Ethernet 1st Sponsor recirculation ballot comments

CI 000 SC 0 P L # r01-24
 Ran, Adee Intel Corporation

Comment Type T Comment Status X

ERL was added as a specification for channels and devices with the intent to replace frequency-domain return loss masks.

Recent results (heck_022118_3cd_adhoc) indicate that ERL is correlated to link performance (as measured by end-to-end COM result) much better than the maximum return loss at specific frequency. It is likely that it is better correlated than the RL margin at any frequency (this is to be verified).

In addition, dudek_022118_3cd_adhoc and following discussions suggest that when the TP0a-TP2 insertion loss is low, ERL limits the reflections effect on COM no worse than SNR_ISI does; and unlike SNR_ISI, ERL can be measured for both Tx and Rx.

It is therefore suggested to make ERL the normative specification instead of the differential RL masks. The latter can stay as a recommendation, and possibly removed entirely.

SuggestedRemedy

Part I - for the transmitter:

1. In 136.9.3.4, change "is recommended to be" to "shall be".
2. In Table 136-11, add the minimum ERL to the specifications, and change the line "Differential output return loss" to "recommended differential output return loss" or delete it from the table.
3. In 137.9.2, add a sixth item to the exceptions list: "Differential output return loss (min) is replaced by the Effective Return loss (ERL) specification in 137.9.2.1."

Part II - for the receiver:

1. In 136.9.4.5, change "is recommended to be" to "shall be".
2. In 136.9.4, create a summary table as in the transmitter specifications, including the requirements that apply (136.9.4.1 to 136.9.4, and to make ERL normative, 136.9.4.5).
3. Also in 136.9.4, rewrite the text so that the summary table is normative, and "the return loss requirements specified in 92.8.4.2 and 92.8.4.3" become a recommendation.
4. In 137.9.3, add a sixth item to the exceptions list: "Differential output return loss (min) is replaced by the Effective Return loss (ERL) specification in 137.9.3.1."

Part III - for the channel/cable assembly:

1. In Table 136-15, add the minimum ERL to the specifications, and change the line "Minimum differential return loss at 13.28 GHz" to "recommended differential output return loss" (with only reference to the equation, no value) or delete it from the table.
2. In 136.11.8, change "Channel ERL at TP1 and at TP4 are recommended to be greater than 10.5 dB" to "The minimum channel ERL at TP1 and at TP4 is 10.5 dB".
3. In 137.10, change "Channels are recommended to meet the insertion loss limits in 137.10.1. Channels shall meet the return loss limits in 137.10.2" to "Channels are recommended to meet the insertion loss limits in 137.10.1 and the return loss limits in 137.10.2. Channel shall meet the ERL specification in 137.10.3."
4. In 137.10.3, change "Channel ERL at TP0 and at TP5 are recommended to be greater than 9.5 dB" to "The minimum channel ERL at TP0 and at TP5 is 9.5 dB".

Implement with editorial license to apply any necessary changes the the above.
 Proposed Response Response Status O

CI 000 SC 0 P L # r01-16
 Anslow, Peter Ciena Corporation

Comment Type E Comment Status X

The numbering of some of the references to definitions in the draft do not match the numbering in the latest revision draft.

- 80.4, Page 102 line 43, "1.4.117" should be 1.4.160"
- 116.1.3, Page 115 line 29, "1.4.407" should be "1.4.480"
- 131.1.1, Page 122 line 17, "1.4.223" should be "1.4.275"
- 131.1.3, Page 123 line 39, "1.4.407" should be "1.4.480"
- 131.4, Page 128 line 36, "1.4.117" should be 1.4.160"
- 136.1, Page 196 line 51, "1.4.223" should be "1.4.275"
- 136.1, Page 197 line 5, "1.4.223" should be "1.4.275"
- 136.5, Page 199 line 44, "1.4.117" should be 1.4.160"
- 137.1, Page 245 line 41, "1.4.223" should be "1.4.275"
- 137.1, Page 245 line 49, "1.4.223" should be "1.4.275"
- 137.5, Page 248 line 30, "1.4.117" should be 1.4.160"
- 138.1.1, Page 265 line 52, "1.4.223" should be "1.4.275"
- 138.1.1, Page 266 line 7, "1.4.223" should be "1.4.275"
- 139.1.1, Page 290 line 36, "1.4.223" should be "1.4.275"
- 140.1.1, Page 314 line 35, "1.4.223" should be "1.4.275"

SuggestedRemedy

- 80.4, Page 102 line 43, change "1.4.117" to 1.4.160"
- 116.1.3, Page 115 line 29, change "1.4.407" to "1.4.480"
- 131.1.1, Page 122 line 17, change "1.4.223" to "1.4.275"
- 131.1.3, Page 123 line 39, change "1.4.407" to "1.4.480"
- 131.4, Page 128 line 36, change "1.4.117" to 1.4.160"
- 136.1, Page 196 line 51, change "1.4.223" to "1.4.275"
- 136.1, Page 197 line 5, change "1.4.223" to "1.4.275"
- 136.5, Page 199 line 44, change "1.4.117" to 1.4.160"
- 137.1, Page 245 line 41, change "1.4.223" to "1.4.275"
- 137.1, Page 245 line 49, change "1.4.223" to "1.4.275"
- 137.5, Page 248 line 30, change "1.4.117" to 1.4.160"
- 138.1.1, Page 265 line 52, change "1.4.223" to "1.4.275"
- 138.1.1, Page 266 line 7, change "1.4.223" to "1.4.275"
- 139.1.1, Page 290 line 36, change "1.4.223" to "1.4.275"
- 140.1.1, Page 314 line 35, change "1.4.223" to "1.4.275"

Proposed Response Response Status O

IEEE P802.3cd 50 Gb/s, 100 Gb/s, 200 Gb/s Ethernet 1st Sponsor recirculation ballot comments

Cl 000 SC 0 P L # r01-29
 Ran, Adee Intel Corporation

Comment Type T Comment Status X

ERL was added as a new method for electrical PMDs and their channels, but it does not apply to the internal interfaces, AUI-C2C and AUI-C2M.

The AUIs operate over lower loss channels with simpler receivers that need to achieve lower BER. Based on that, it is likely that reflections play an even more major role in the performance.

It is suggested to add ERL specifications as recommendations for all the AUI-C2C cases where RL is specified, based on the KR PMD specs.

For the C2M, it would be good to use ERL, but there is no reference we can readily use.

SuggestedRemedy

Add text in each of the subclauses of 135D.3 and 135F.3, recommending meeting the ERL limits of the Transmitter, receiver, and channels, based on the text and parameters in 137.9.2.1, 137.9.2.2, 137.9.2.3, respectively (with reference to the COM parameter table from 120D).

Proposed Response Response Status O

Cl 1 SC 1.4.36 P 39 L 29 # r01-20
 Slavick, Jeff Broadcom Limited

Comment Type T Comment Status X

There are two four lanes versions of the 100Gb/s Attachment Unit Interface, CAUI-4 and 100GAUI-4 not two versions of CAUI-4.

SuggestedRemedy

Change "Three widths of CAUI-n are defined:" to be "Three widths are defined:"

Proposed Response Response Status O

Cl 1 SC 1.4.387 P 40 L 33 # r01-6
 Anslow, Peter Ciena Corporation

Comment Type E Comment Status X

"Comment i-36 against the revision project D3.0 has caused the definition of ""FORCE mode"" in 1.4.254 to be deleted.

As a consequence of this, all of the definition numbers above 254 have reduced their numbering by 1."

SuggestedRemedy

Change "1.4.387" to "1.4.386" in the editing instruction and the definition number

Proposed Response Response Status O

Cl 4A SC 4A.4.2 P 333 L 18 # r01-2
 Marris, Arthur Cadence Design Syst

Comment Type E Comment Status X

Missing comma after 100 Gb/s

SuggestedRemedy

Change to:
 100 Gb/s, 200 Gb/s,

Proposed Response Response Status O

Cl 45 SC 45.2.1.1.3 P 49 L 34 # r01-31
 Marris, Arthur Cadence Design Syst

Comment Type G Comment Status D

Add 2.5G and 5G to this to match revision project.

SuggestedRemedy

Add the following text "when set to 0110 the use of a 2.5G PMA/PMD is selected; when set to 0111 the use of a 5G PMA/PMD is selected;"

Proposed Response Response Status W

IEEE P802.3cd 50 Gb/s, 100 Gb/s, 200 Gb/s Ethernet 1st Sponsor recirculation ballot comments

Cl 45 SC 45.2.1.1.3 P 49 L 36 # r01-3
 Marris, Arthur Cadence Design Syst
 Comment Type E Comment Status X
 2.5 and 5 Gb/s speeds are missing from the text in 45.2.1.1.3
 SuggestedRemedy
 Add the following text:
 when set to 0110 the use of a 2.5G PMA/PMD is selected; when set to 0111 the use of a
 5G PMA/PMD is selected;
 Proposed Response Response Status O

Cl 45 SC 45.2.1.139 P 75 L 34 # r01-21
 Slavick, Jeff Broadcom Limited
 Comment Type E Comment Status X
 The hex character fields don't begin with 0x
 SuggestedRemedy
 Change "for lane 0, fbf1cb3e; for lane 1, fbb1e665; for lane 2, f3fdae46; for lane 3,
 f2ffa46b" to be "for lane 0, 0xfbf1cb3e; for lane 1, 0xfbb1e665; for lane 2, 0xf3fdae46; for
 lane 3, 0xf2ffa46b"
 Proposed Response Response Status O

Cl 45 SC 45.2.1.110.2 P 58 L 9 # r01-7
 Anslow, Peter Ciena Corporation
 Comment Type E Comment Status X
 In the brackets at the end of subclause 45.2.1.110.2, a comma has been added after
 91.5.3.3, but is not underlined
 SuggestedRemedy
 underline the added comma.
 Proposed Response Response Status O

Cl 45 SC 45.2.3.4 P 77 L 13 # r01-4
 Marris, Arthur Cadence Design Syst
 Comment Type E Comment Status X
 The text here is modified so inserted text should be underlined
 SuggestedRemedy
 Underline the inserted text in Table 45-179 and Table 45-181
 Proposed Response Response Status O

Cl 45 SC 45.2.1.111.8 P 59 L 32 # r01-8
 Anslow, Peter Ciena Corporation
 Comment Type E Comment Status X
 In the brackets in the first sentence of subclause 45.2.1.111.8, a comma has been added
 after 91.5.3.3, but is not underlined.
 Same issue for 45.2.1.111.9
 SuggestedRemedy
 underline the added comma in both 45.2.1.111.8 and 45.2.1.111.9
 Proposed Response Response Status O

Cl 45 SC 45.2.3.15.4 P 80 L 3 # r01-5
 Marris, Arthur Cadence Design Syst
 Comment Type E Comment Status X
 Make 45.2.3.15.4 and 45.2.3.15.5 correctly reflect the base standard and 802.3cd
 SuggestedRemedy
 Make it as follows
 Change the third sentence of 45.2.3.15.4 as follows:
 This bit is a direct reflection of the state of the hi_ber variable in the 64B/66B state diagram
 and is defined in
 49.2.13.2.2 for 5/10/25GBASE-R and in 82.2.19.2.2 for 40/50/100GBASE-R.
 Change fourth sentence of 45.2.3.15.5 as follows:
 For a 40/50/100GBASE-R PCS, this bit reflects the logical AND of
 the state of the block_lock<x> variables defined in 82.2.19.2.2.
 Proposed Response Response Status O

IEEE P802.3cd 50 Gb/s, 100 Gb/s, 200 Gb/s Ethernet 1st Sponsor recirculation ballot comments

CI 45 SC 45.2.3.15.4 P 80 L 3 # r01-9
 Anslow, Peter Ciena Corporation

Comment Type E Comment Status X

The quoted text is not present in 45.2.3.15.4 of the base standard. It seems to reflect text from the subclause below (45.2.3.15.5) from the latest draft of the revision.
 See also a companion comment to correct the text in 45.2.3.15.5 to be this text.

SuggestedRemedy

Change the editing instruction to:
 Change third sentence of 45.2.3.15.4 (as modified by IEEE Std 802.3cb-201x) as follows:
 Change the text to:
 This bit is a direct reflection of the state of the hi_ber variable in the BER monitor state diagrams as defined in 49.2.13.2.2 for 5/10/25GBASE-R and in 82.2.19.2.2 for 40/<u>50/</u>100GBASE-R.
 where <u> and </u> are the start and end of underline font, respectively.

Proposed Response Response Status O

CI 45 SC 45.2.3.15.5 P 80 L 14 # r01-10
 Anslow, Peter Ciena Corporation

Comment Type E Comment Status X

The text in 45.2.3.15.5 has been changed in the revision project D3.1, so the text of this subclause has to be updated to match. This seems to have been done in error in the subclause above (45.2.3.15.4).
 See also a companion comment to correct the text in 45.2.3.15.4.

SuggestedRemedy

Change the text in 45.2.3.15.5 to be that shown in 45.2.3.15.4:
 For a 40/<u>50/</u>100GBASE-R PCS, this bit reflects the logical AND of the state of the block_lock<x> variables defined in <g>82.2.19.2.2</g>.
 where <u> and </u> are the start and end of underline font, respectively and <g> and </g> are the start and end of forest green font, respectively.

Proposed Response Response Status O

CI 45 SC 45.2.3.16.3 P 81 L 6 # r01-11
 Anslow, Peter Ciena Corporation

Comment Type E Comment Status X

The text shown as the first sentence of 45.2.3.16.3 does not match the text in the base standard.
 "for 2.5GBASE-T" should be "in 2.5GBASE-T"
 "55.3.6.2" should be "55.3.7.2"
 "113.3.6.2.2" should be "113.3.7.2"

SuggestedRemedy

Change:
 "for 2.5GBASE-T" to "in 2.5GBASE-T"
 "55.3.6.2" to "55.3.7.2"
 "113.3.6.2.2" to "113.3.7.2"

Proposed Response Response Status O

CI 45 SC 45.2.3.16.4 P 81 L 17 # r01-12
 Anslow, Peter Ciena Corporation

Comment Type E Comment Status X

The text shown as the first sentence of 45.2.3.16.4 does not match the text in the base standard.
 "for 2.5GBASE-T" should be "in 2.5GBASE-T"
 "55.3.6.2" should be "55.3.7.2"
 "113.3.6.2.2" should be "113.3.7.2"

SuggestedRemedy

Change:
 "for 2.5GBASE-T" to "in 2.5GBASE-T"
 "55.3.6.2" to "55.3.7.2"
 "113.3.6.2.2" to "113.3.7.2"

Proposed Response Response Status O

IEEE P802.3cd 50 Gb/s, 100 Gb/s, 200 Gb/s Ethernet 1st Sponsor recirculation ballot comments

Cl 73 **SC 73.3** **P 89** **L 42** # **r01-1**
Marris, Arthur Cadence Design Syst

Comment Type **T** **Comment Status** **X**

The change to 73.3 and other changes in Clause 73 have already been done by the 802.3cj revision project so no longer should be described in 802.3cd.

SuggestedRemedy
Remove the text relevant to the following changes from the 802.3cd draft in the following locations:

73.3 on page 89
73.7.1 on page 91
link_fail_inhibit_timer on page 92
73.11.4.7 on page 94

Proposed Response **Response Status** **O**

Cl 73 **SC 73.3** **P 89** **L 42** # **r01-13**
Anslow, Peter Ciena Corporation

Comment Type **E** **Comment Status** **X**

The changes shown to 73.3 have already been made in D3.1 of the revision project due to comment i-48:
<http://www.ieee802.org/3/cj/comments/P8023-D3p0-Comments-Final-byID.pdf#page=17>

SuggestedRemedy
Remove the whole of 73.3 from the draft.

Proposed Response **Response Status** **O**

Cl 73 **SC 73.7.1** **P 91** **L 4** # **r01-14**
Anslow, Peter Ciena Corporation

Comment Type **E** **Comment Status** **X**

The changes shown to 73.7.1 have already been made in D3.1 of the revision project due to comment i-49:
<http://www.ieee802.org/3/cj/comments/P8023-D3p0-Comments-Final-byID.pdf#page=17>

SuggestedRemedy
Remove the whole of 73.7.1 from the draft (leave the heading for 73.7).

Proposed Response **Response Status** **O**

Cl 73 **SC 73.7.6** **P 91** **L 46** # **r01-30**
Marris, Arthur Cadence Design Syst

Comment Type **E** **Comment Status** **X**

2.55 should be 2.5

SuggestedRemedy
Change: "2.55Gb/s 1 lane"
To: "2.5Gb/s 1 lane"

Proposed Response **Response Status** **O**

Cl 73 **SC 73.10.2** **P 92** **L 28** # **r01-15**
Anslow, Peter Ciena Corporation

Comment Type **E** **Comment Status** **X**

The changes shown to the link_fault_inhibit timer definition in 73.10.2 have already been made in D3.1 of the revision project due to comment i-50:
<http://www.ieee802.org/3/cj/comments/P8023-D3p0-Comments-Final-byID.pdf#page=17>

SuggestedRemedy
Remove the change to the link_fault_inhibit timer definition in 73.10.2 from the draft. Also remove the whole of 73.11.4.7 from the draft as this has also been done in the revision D3.1

Proposed Response **Response Status** **O**

Cl 80 **SC 80.1.5** **P 100** **L 8** # **r01-32**
Marris, Arthur Cadence Design Syst

Comment Type **T** **Comment Status** **X**

PCS clause 82 is missing from Table 80-4a

SuggestedRemedy
Add column for Clause 82 PCS in Table 80-4a and make it mandatory similar to table 80-3

Proposed Response **Response Status** **O**

IEEE P802.3cd 50 Gb/s, 100 Gb/s, 200 Gb/s Ethernet 1st Sponsor recirculation ballot comments

Cl 131 SC 131.5 P 131 L 12 # r01-51
 Dawe, Piers J G Mellanox Technologie

Comment Type TR Comment Status X

This Table 131-6 (Skew Variation) still does not agree with e.g. 138.3.2.1, which says "Since the signal at XX represents a serial bit stream, there is no Skew Variation at this point". All 50GBASE-R PMDs are serial.

SuggestedRemedy

Either:
 Delete the rows for SP2 to SP5, adding a table note to explain that there is no SV at those points; or:
 For SP2, delete the reference to 135.5.3.5, which is not relevant for a serial PMA/PMD interface,
 For SP5, delete the reference to 135.5.3.6, which is not relevant for a serial PM/PMA interface, and
 for SP2 to SP5, change the numbers to N/A.

Proposed Response Response Status O

Cl 134 SC 134.5.2.4 P 150 L 50 # r01-17
 Ran, Adeo Intel Corporation

Comment Type TR Comment Status X

Repeating comment i-33 against D3.0 (which was rejected).

The revision project has adopted a corresponding change in clause 91 (see comment i-43 against 802.3cj D3.0). It should be applied here as well.

SuggestedRemedy

Change FROM
 "The incoming bit error ratio can be estimated by dividing the BIP block error ratio by a factor of 1 351 680."
 TO
 "The bit error ratio in the data received from the local PCS can be estimated by dividing the BIP block error ratio by a factor of 1 351 680.

NOTE--The data received from the local PCS is processed by the RS-FEC transmit function without error correction."

Proposed Response Response Status O

Cl 135 SC 135.1 P 169 L 12 # r01-52
 Dawe, Piers J G Mellanox Technologie

Comment Type E Comment Status X

In any long report, clause or whatever, the first section should say what it's about, including referring to all associated components.
 See 136.1, first two paragraphs, for a good example.
 Here, 135.1.1 eventually mentions annexes 135B to 135G but not Annex 135A.

SuggestedRemedy

Really, the clause and associated annexes should be introduced in the overview. But at a minimum, mention 135A in 135.1.1, e.g.before the last sentence of the first paragraph, add "Examples of PMA sublayer positioning and partitioning are given in Figure 135-3 and Annex 135A".

Proposed Response Response Status O

Cl 135 SC 135.3 P 174 L 23 # r01-81
 Dudek, Michael Cavium

Comment Type E Comment Status X

This is a very long complicated sentence that is difficult to understand.

SuggestedRemedy

Improve the wording if possible. At least split into two sentences at the "and". (removing the brackets around (if necessary). Make the equivalent change to 135.4 Page 175 line 6.

Proposed Response Response Status O

IEEE P802.3cd 50 Gb/s, 100 Gb/s, 200 Gb/s Ethernet 1st Sponsor recirculation ballot comments

Cl 135 SC 135.5.3 P 177 L 49 # r01-53
 Dawe, Piers J G Mellanox Technologie

Comment Type TR Comment Status X

Correct this text to acknowledge that not all PMA interfaces are multi-lane, so not all have Skew Variation, and some Skew values are not as given.

SuggestedRemedy

Change:
 The limits for Skew and Skew Variation at physically instantiated interfaces are specified at Skew points SP0, SP1, and SP2 in the transmit direction and SP5, SP6, and SP7 in the receive direction as defined in 131.5 and illustrated in Figure 131-3 for 50GBASE-R and as defined in 80.5 and illustrated in Figure 80-8 for 100GBASE-P. to:
 For 50GBASE-R, the limits for Skew at physically instantiated interfaces are specified at Skew points SP0, SP1, and SP2 in the transmit direction and SP5, SP6, and SP7 in the receive direction as defined in 131.5 and illustrated in Figure 131-3. For 50GBASE-R, the limits for Skew Variation at physically instantiated interfaces are specified at Skew points SP0 and SP1 in the transmit direction, and SP6 and SP7 in the receive direction, as defined in 131.5 and illustrated in Figure 131-3. For 100GBASE-P, the limits for Skew and Skew Variation at physically instantiated interfaces are specified at Skew points SP0, SP1, and SP2 in the transmit direction and SP5, SP6, and SP7 in the receive direction as defined in 80.5 and illustrated in Figure 80-8 for 100GBASE-P.

Proposed Response Response Status O

Cl 135 SC 135.5.3.5 P 179 L 12 # r01-55
 Dawe, Piers J G Mellanox Technologie

Comment Type TR Comment Status X

Correct this text to acknowledge that not all PMA interfaces are multi-lane, so not all have Skew Variation.

SuggestedRemedy

Change:
 ... 43 ns of Skew, and no more than 0.4 ns of Skew Variation ... to:
 ... 43 ns of Skew, and, for 100GBASE-P, no more than 0.4 ns of Skew Variation ...

Proposed Response Response Status O

Cl 135 SC 135.5.3.6 P 179 L 17 # r01-56
 Dawe, Piers J G Mellanox Technologie

Comment Type TR Comment Status X

Correct this text to acknowledge that not all PMA interfaces are multi-lane, so not all have Skew Variation.

SuggestedRemedy

Change:
 135.5.3.6 Skew tolerance at SP5
 If the PMD service interface... to:
 135.5.3.6 Skew tolerance at SP5 for 100GBASE-P
 If a 100GBASE-P PMD service interface...

Proposed Response Response Status O

Cl 135 SC 135.5.3.7 P 179 L 25 # r01-57
 Dawe, Piers J G Mellanox Technologie

Comment Type E Comment Status X

Correct the subclause title to reflect the contents (like 135.5.3.5)

SuggestedRemedy

Change:
 135.5.3.7 Skew generation at SP6 to:
 135.5.3.7 Skew generation toward SP6

Proposed Response Response Status O

IEEE P802.3cd 50 Gb/s, 100 Gb/s, 200 Gb/s Ethernet 1st Sponsor recirculation ballot comments

Cl 135 SC 135.5.3.7 P 179 L 30 # r01-58
 Dawe, Piers J G Mellanox Technologie

Comment Type TR Comment Status X

Correct this text to acknowledge that not all PMA interfaces are multi-lane, so not all have Skew Variation, and some Skew values are not as given.

SuggestedRemedy

Change:
 If there is a physically instantiated PMD service interface that allows the Skew to be measured, the Skew measured at SP5 is limited to no more than 145 ns of Skew and no more than 3.6 ns of Skew Variation. If there is no physically instantiated PMD service interface, the Skew measured at SP4 is limited to no more than 134 ns of Skew, and no more than 3.4 ns of Skew Variation. to:
 If there is a physically instantiated PMD service interface that allows the Skew to be measured, the Skew measured at SP5 is limited to no more than 43 ns of Skew for 50GBASE-R or 145 ns of Skew for 100GBASE-P, and to no more than 3.6 ns of Skew Variation for 100GBASE-P. If there is no physically instantiated PMD service interface, the Skew measured at SP4 is limited to no more than 43 ns of Skew for 50GBASE-R or 134 ns of Skew for 100GBASE-P, and to no more than 3.4 ns of Skew Variation for 100GBASE-P.

Proposed Response Response Status O

Cl 135 SC 135.5.5 P 180 L 26 # r01-54
 Dawe, Piers J G Mellanox Technologie

Comment Type T Comment Status X

This might be a suitable, though obscure, place to add hints that the implementer may have to pay attention to the low frequency jitter issue.

SuggestedRemedy

Add text e.g. "The PMA output attached to an AUI or PMD conditions the output clock such that the AUI output or PMD transmitter meets its requirements."
 At line 38, add NOTE--Excessive low-frequency jitter might prevent the PMA from providing adequate clock quality, particularly when or multiple input lanes are mapped to a single output lane.

Proposed Response Response Status O

Cl 135 SC 135.7.3 P 189 L 12 # r01-86
 Dudek, Michael Cavium

Comment Type T Comment Status X

How are the PICS to be filled in for Fig 135A-4 application? The intermediate PMA between the FEC and the PMD isn't covered.

SuggestedRemedy

Change from "PMA is immediately below FEC" to "PMA is below FEC and not immediately above PMD"

Proposed Response Response Status O

Cl 135A SC 135A.2 P 346 L 39 # r01-79
 Dawe, Piers J G Mellanox Technologie

Comment Type TR Comment Status X

As pointed out in both 802.3bs and this project, a host output with 50 Gb/s lanes is allowed to make twice as much low frequency jitter at very low frequencies as a receiver with 100 Gb/s lane(s) is required to receive. If we don't fix the specs we must warn implementers. D3.0 comments 61, 115, 87, 85, another D3.1 comment.

SuggestedRemedy

Add text:
 e.g. NOTE--When n is 2 or 4 and p is 1, the sinusoidal jitter in the 100GAUI-n module stressed input test represents twice as much, in time or bits, as the sinusoidal jitter in the stressed receiver sensitivity test for the PMD.

Proposed Response Response Status O

IEEE P802.3cd 50 Gb/s, 100 Gb/s, 200 Gb/s Ethernet 1st Sponsor recirculation ballot comments

CI 135F SC 135F.3 P 408 L 27 # r01-27
 Rysin, Alexander Mellanox Technologie

Comment Type TR Comment Status X

Transmitter output residual ISI SNR_ISI (min) 34.8 dB (Clause 120D) is too high - can barely measure the IC through the test fixture. The warning NOTE in 120D.3.1.7 shows the issue, but doesn't solve it. D2.0 comment 140, D2.1 comment 49, D2.2 comment 22. Since both SNR_ISI and Effective Return Loss (ERL) represent uncompensated reflections from the transmitter and the test fixtures, measurements of ERL can replace SNR_ISI. Also, frequency domain return loss mask does not truly represent digital signaling at a given bit error ratio. There is no real proof that violating return loss masks is directly tied to failures and a number of false negatives have been shown. D2.0 comment 141, D2.1 comments 26, 27 and 28, D3.0 comment 98. See also relevant comment in 802.3cj.

SuggestedRemedy

Change 135F.3.1 from "A 50GAUI-1 C2C or a 100GAUI-2 C2C transmitter shall meet all specifications in 120D.3.1" to: "A 50GAUI-1 C2C or a 100GAUI-2 C2C transmitter shall meet all specifications in 120D.3.1 with the following exceptions:
 * Effective return loss (ERL) of the transmitter at TP0a is computed using the procedure in 93A.5 with the values in Table 137-5. Parameters that do not appear in Table 137-5 take values from Table 120D-8. The value of Tfx is twice the delay from TP0 to TP0a. Nbx is set to the value of Nb in Table 120D-8. ERL shall be at least 16.1 dB. The Transmitter Output residual ISI SNR_ISI and the return loss specifications in Table in Table 120D-1 do not apply."

Change 135F.3.2 from "A 50GAUI-1 C2C or a 100GAUI-2 C2C receiver shall meet all specifications in 120D.3.1" to: "A 50GAUI-1 C2C or a 100GAUI-2 C2C receiver shall meet all specifications in 120D.3.2 with the following exceptions:
 * Effective return loss (ERL) of the receiver computed using the procedure in 93A.5 with the values in Table 137-5. Parameters that do not appear in Table 137-5 take values from Table 120D-8. The value of Tfx is twice the delay from TP5a to TP5. Nbx is set to the value of Nb in Table 120D-8. ERL shall be at least 16.1 dB.

Proposed Response Response Status O

CI 135G SC 135G.3.1 P 382 L 24 # r01-80
 Dawe, Piers J G Mellanox Technologie

Comment Type TR Comment Status X

As pointed out in both 802.3bs and this project, a host output with 50 Gb/s lanes is allowed to make twice as much low frequency jitter at very low frequencies as a receiver with 100 Gb/s lane(s) is required to receive. A jitter buffer does not fix this unless it is infinite. To assure interoperability, there must be industry-wide agreement that tightens 50G/lane host low frequency jitter generation, increases 100G/lane receiver low frequency jitter tolerance, or a combination: see http://ieee802.org/3/cd/public/Jan18/dawe_3cd_02a_0118.pdf slide 8. The proposed remedy is as simple as any of the options considered. Also it is likely to be compatible with 100G electrical lanes. This remedy should be applied to 100GAUI-2 C2M host outputs (unless another remedy is chosen). It could be applied to 50GAUI-1 host outputs and/or the corresponding module inputs for consistency but this is not necessary. As any 50G/lane E/O conversions basically pass the low frequency jitter along for something else to tolerate, we can leave their specs alone. D3.0 comments 61, 115, 87, 85, another D3.1 comment.

SuggestedRemedy

Add text:
 To limit the jitter at frequencies which a 100GBASE-DR PMD's optical receiver may not track well, it is recommended that for 100GAUI-2 C2M, the host output eye width and eye height specifications (120E.3.1.6), and the vertical eye closure specification, be met when measured using a clock recovery unit with a corner frequency of 2 MHz.

Proposed Response Response Status O

CI 135G SC 135G.3.4 P 382 L 37 # r01-83
 Dudek, Michael Cavium

Comment Type T Comment Status X

The vertical eye closure requirement isn't really an exception as in 120E there is no specification for VEC, but the "recipe" to create the stressed input is unlikely to create a signal that fails this specification.

SuggestedRemedy

Change "A 50GAUI-1 C2M or a 100GAUI-2 C2M module input shall meet all specifications in 120E.3.4, with the exception that for the module stressed input test in 120E.3.1 the input vertical eye closure, determined according to 135G.4.1, is less than 12 dB" to "A 50GAUI-1 C2M or a 100GAUI-2 C2M module input shall meet all specifications in 120E.3.4, with the modification that for the module stressed input test in 120E.3.1 the input vertical eye closure, determined according to 135G.4.1, is required to be less than 12 dB"

Proposed Response Response Status O

IEEE P802.3cd 50 Gb/s, 100 Gb/s, 200 Gb/s Ethernet 1st Sponsor recirculation ballot comments

Cl 136 SC 136.4.9 P 228 L 19 # r01-38
 Mellitz, Richard Samtec, Inc.

Comment Type TR Comment Status X

It has been shown in many prior ad-hoc meetings that devices which fail return loss do not fail in systems. The latest report may be found in:
http://www.ieee802.org/3/cd/public/adhoc/archive/heck_022118_3cd_adhoc.pdf
 No correlation to return loss and COM has been demonstrated.

SuggestedRemedy

remove reference to 92.8.4.2
 Remove editor's note on page 232 line 3.

Proposed Response Response Status

Cl 136 SC 136.4.9 P 231 L 46 # r01-39
 Mellitz, Richard Samtec, Inc.

Comment Type TR Comment Status X

Transmitter and receiver ERL should be the same.

SuggestedRemedy

Make Clause 136.9.3.4 and 136.9.4.5 constant

Proposed Response Response Status

Cl 136 SC 136.6.1 P 200 L 16 # r01-59
 Dawe, Piers J G Mellanox Technologie

Comment Type TR Comment Status X

The Skew at SP3 (the output of the PMD), SP4 (the receiver MDI) and at SP5 (PMD service interface, output) have to be the same as at SP2 (PMD service interface, input of the PMD) for 50GBASE-CR, a serial PMD. As the receiver can't do anything about it, the "shall"s for SP4 and SP5 are not appropriate. What 802.3ba (all multilane) or 802.3bg (not a good precedent) did is not binding, nor a good choice for a family of serial PMDs. Any KR4-based 2-lane PMD can have its own independent Skew budget. Any future KP4-based 2-lane PMD can also have its own Skew budget, that could be like the 802.3bs one. What we write for a 1-lane PMA input cannot bind any 2-lane PMA. It's the SP6 spec that determines what future non-serial PMDs could be like, not SP3-5.
 D3.0 comment 123.

SuggestedRemedy

Change:

The Skew at SP3 (the transmitter MDI) shall be less than 54 ns. Since the signal at the MDI represents a serial bit stream, there is no Skew Variation at this point.
 The Skew at SP4 (the receiver MDI) shall be less than 134 ns. Since the signal at the MDI represents a serial bit stream, there is no Skew Variation at this point.
 If the PMD service interface is physically instantiated so that the Skew at SP5 can be measured, then the Skew at SP5 shall be less than 145 ns. Since the signal at the PMD service interface represents a serial bit stream, there is no Skew Variation at this point. to:
 The Skew at SP3 (the transmitter MDI) shall also be less than 43 ns. Since the signal at the MDI represents a serial bit stream, there is no Skew Variation at this point.
 The Skew at SP4 (the receiver MDI) and SP5 (the output of the PMD at the PMD service interface) is the same as at SP2, and there is no Skew Variation at these points.

Correct Table 131-5, Summary of Skew constraints - as 50GBASE-R PMDs are serial it's simple to do. Change 54 134 145 to 43, 1434 3559 and 3852 to 1142. For SP2, remove the reference to 135.5.3.5. For SP5, remove the reference to 135.5.3.6. Also 137.6.1 138.3.2.1 139.3.2.

Proposed Response Response Status

IEEE P802.3cd 50 Gb/s, 100 Gb/s, 200 Gb/s Ethernet 1st Sponsor recirculation ballot comments

Cl 136 SC 136.6.1 P 200 L 27 # r01-60
 Dawe, Piers J G Mellanox Technologie

Comment Type T Comment Status X

This should not say "The measurements of Skew and Skew Variation are defined in 89.7.2." because that's 40GBASE-FR (not mainstream) and it says "using a clock and data recovery unit with high-frequency corner bandwidth of 16 MHz and a slope of -20 dB/decade". This should use a 4 MHz CRU.

SuggestedRemedy

Change 89.7.2 to 86.8.3.1.

Proposed Response Response Status O

Cl 136 SC 136.9 P 252 L 39 # r01-26
 Rysin, Alexander Mellanox Technologie

Comment Type TR Comment Status X

Frequency domain return loss mask does not truly represent digital signaling at a given bit error ratio. There is no real proof that violating return loss masks is directly tied to failures and a number of false negatives have been shown. D2.0 comment 141, D2.1 comments 26, 27 and 28, D3.0 comments 72, 76, 96.

SuggestedRemedy

- * Remove the requirement for Differential return loss in Table 136-11.
- * Add a requirement for Effective Return Loss (ERL) to be greater than 14.5 dB in Table 136-11.
- * In 136.9.4 change "The receiver shall meet the return loss requirements specified in 92.8.4.2 and 92.8.4.3." to "The receiver shall meet the effective return loss requirement in 136.9.3."
- * Add a paragraph in 137.9.2 and to 137.9.3 - "Effective Return Loss (ERL, min) is 16.1 dB. There is no frequency domain return loss mask."

Proposed Response Response Status O

Cl 136 SC 136.9 P 259 L 7 # r01-25
 Rysin, Alexander Mellanox Technologie

Comment Type TR Comment Status X

Transmitter output residual ISI SNR_ISI (min) 36.8 dB (Clause 136) and 43 dB (Clause 137) is too high - can barely measure the IC through the test fixture. The warning NOTE in 120D.3.1.7 shows the issue, but doesn't solve it. The limits for SNR_ISI in Clause 136 and Clause 137 are even more stringent than in 120D. D2.0 comment 140, D2.1 comment 49, D2.2 comment 22, D3.0 comments 71, 74, 97. Since both SNR_ISI and Effective Return Loss (ERL) represent uncompensated reflections from the transmitter and the test fixtures, measurements of ERL can replace SNR_ISI.

SuggestedRemedy

- * Remove reference to SNR_ISI in Table 136-11 --Summary of transmitter specifications at TP2.
- * Add a requirement for Effective Return Loss (ERL) to be greater than 14.5 dB in Table 136-11.
- * Change paragraph 3 in 137.9.2 from "SNR_ISI is computed with Nb set to 12 and Dp set to 3. The value of SNR_ISI (min) is 43 dB." to "Effective Return Loss (ERL) is calculated with Nb set to 12 (see 93A-5). ERL shall be at least 16.1 dB. The Transmitter Output residual ISI SNR_ISI specification in Table in Table 120D-1 does not apply."

Proposed Response Response Status O

Cl 136 SC 136.9.3 P 223 L 23 # r01-18
 Ran, Adee Intel Corporation

Comment Type TR Comment Status X

Repeating comment i-21 against D3.0 (which was rejected).

The revision project has adopted a corresponding change in clause 93 (see comment i-29 against 802.3cj D3.0). A similar change should be applied here as well.

SuggestedRemedy

Add the following sentence at the end of the first paragraph of 136.9.3.
 "The connection from TP2 to the test equipment is AC-coupled."

Add the following paragraph to 136.9.3 after the first paragraph:
 "Measurement of the DC common-mode voltage is made with a high-impedance connection to TP2 where TP2 is AC-coupled to a 100 Ohm differential termination."

Proposed Response Response Status O

IEEE P802.3cd 50 Gb/s, 100 Gb/s, 200 Gb/s Ethernet 1st Sponsor recirculation ballot comments

Cl 136 SC 136.9.3 P 223 L 39 # r01-34
 Mellitz, Richard Samtec, Inc.
 Comment Type TR Comment Status X
 It has been shown in many prior ad-hoc meetings that devices which fail return loss do not fail in systems. The latest report may be found in:
http://www.ieee802.org/3/cd/public/adhoc/archive/heck_022118_3cd_adhoc.pdf
 No correlation to return loss and COM has been demonstrated.
 SuggestedRemedy
 Remove the row "Differential output return loss (min.)" in table 136-11.
 Remove editor's note on page 228 line 13.
 Proposed Response Response Status O

Cl 136 SC 136.9.3 P 224 L 7 # r01-35
 Mellitz, Richard Samtec, Inc.
 Comment Type TR Comment Status X
 ERL and SNR_ISI are measures of the same physical reflections and have been shown to be highly correlated. see:
http://www.ieee802.org/3/cd/public/adhoc/archive/mellitz_022118_3cd_adhoc.pdf slide 6 and 7.
 It would be desirable to have the reflection measurement method consistent for transmitter and receivers in clause 136 and 137.
 In addition, it has been show that SNR_ISI is difficult to measure for clause 137 transmit devices. see:
http://www.ieee802.org/3/cd/public/Sept17/rysin_3cd_02_0917.pdf
 SuggestedRemedy
 Remove the row "SNR_ISI (min.)b" in table 136-11 and note "b"
 Remove editor's note on page 228 line 13.
 Proposed Response Response Status O

Cl 136 SC 136.9.3 P 224 L 8 # r01-84
 Dudek, Michael Cavium
 Comment Type TR Comment Status X
 As was shown in the presentation "Can ERL replace SNRisi for 50GBASE-CR" given at the 2-18-18 ad hoc the existing SNRisi specification cannot differentiate between a host with low loss that gives good system performance but would fail the SNRisi specification, and a host with more loss that has reflections and has bad system performance. ERL has a similar problem. An updated presentation will be made.
 SuggestedRemedy
 Replace the SNRisi(min) specification with a new metric SNRisi+40*log(Pmax/Vf) Value 19.6dBmin. If SNRisi is replaced by ERL then the specification for the Tx should not be ERL it should be ERL+20*log(Pmax/Vf) with a value of 5.4dBmin.
 Proposed Response Response Status O

Cl 136 SC 136.9.3 P 224 L 11 # r01-62
 Dawe, Piers J G Mellanox Technologie
 Comment Type E Comment Status X
 even-odd jitter
 SuggestedRemedy
 Even-odd jitter
 Proposed Response Response Status O

Cl 136 SC 136.9.3 P 224 L 11 # r01-61
 Dawe, Piers J G Mellanox Technologie
 Comment Type T Comment Status X
 Following the recipe for even-odd jitter in 120D.3.1.8 could lead to unexpected results, depending on just how the scope works.
 SuggestedRemedy
 Check with scope experts; if appropriate, add a NOTE explaining any practical issues.
 Proposed Response Response Status O

IEEE P802.3cd 50 Gb/s, 100 Gb/s, 200 Gb/s Ethernet 1st Sponsor recirculation ballot comments

Cl 136 SC 136.9.3.4 P 227 L 49 # r01-92
 Sakai, Toshiaki socionext
 Comment Type E Comment Status X
 Two(2) periods.."."
 SuggestedRemedy
 Change ".." (two peridos) to "." (one period).
 Proposed Response Response Status O

Cl 136 SC 136.9.3.4 P 227 L 49 # r01-36
 Mellitz, Richard Samtec, Inc.
 Comment Type TR Comment Status X
 N should be at least 2 times the reflection delay of a long test fixture cascaded with a long channel which is about 5 ns.
 SuggestedRemedy
 Change N to 300.
 Proposed Response Response Status O

Cl 136 SC 136.9.3.4 P 228 L 8 # r01-37
 Mellitz, Richard Samtec, Inc.
 Comment Type TR Comment Status X
 A rational and suggestion for rho_x and ERL min was made in
http://www.ieee802.org/3/cd/public/adhoc/archive/mellitz_022118_3cd_adhoc.pdf
 SuggestedRemedy
 Change rho_x to 0.44 and
 on line 11 page 228 to
 Transmitter ERL at TP2 is recommended to be greater than 14.5 dB
 Proposed Response Response Status O

Cl 136 SC 136.9.4.5 P 231 L 48 # r01-91
 Sakai, Toshiaki socionext
 Comment Type T Comment Status X
 This sub-clause is talking about receiver and TP3.
 Change
 "delay associated with the TP2 test fixture"
 to
 "delay associated with the TP3 test fixture".
 Please refer to "mellitz_3cd_020718_adhoc-v2.pdf" page-4.

SuggestedRemedy
 Change
 "delay associated with the TP2 test fixture"
 to
 "delay associated with the TP3 test fixture".
 Proposed Response Response Status O

Cl 136 SC 136.9.4.5 P 232 L 1 # r01-90
 Sakai, Toshiaki socionext
 Comment Type T Comment Status X
 Since this sub-clause is talking about receiver and TP3,
 "Transmitter ERL at TP2 is recommended to be greater than 9 dB."
 should be
 "Receiver ERL at TP3 is recommended to be greater than 9 dB."
 Please refer to "mellitz_3cd_020718_adhoc-v2.pdf" page-4.

SuggestedRemedy
 Change
 "Transmitter ERL at TP2 is recommended to be greater than 9 dB."
 to
 "Receiver ERL at TP3 is recommended to be greater than 9 dB."
 Proposed Response Response Status O

IEEE P802.3cd 50 Gb/s, 100 Gb/s, 200 Gb/s Ethernet 1st Sponsor recirculation ballot comments

Cl 136 SC 136.11.3 P 233 L 30 # r01-40
 Mellitz, Richard Samtec, Inc.
 Comment Type **TR** Comment Status **X**
 It has been shown in many prior ad-hoc meetings that devices which fail return loss do not fail in systems. The latest report may be found in:
http://www.ieee802.org/3/cd/public/adhoc/archive/heck_022118_3cd_adhoc.pdf
 No correlation to return loss and COM has been demonstrated.
 SuggestedRemedy
 remove clause 136.11.3
 Remove editor's note on page 237 line 44.
 Proposed Response Response Status **O**

Cl 136 SC 136.11.8 P 237 L 24 # r01-82
 Dudek, Michael Cavium
 Comment Type **T** Comment Status **X**
 This section is referring to the Cable Assembly not the whole channel
 SuggestedRemedy
 Change the section title replacing "channel" with "cable assembly". For the first sentence of the section change to "ERL of the cable assembly at TP1 and TP4 is computed
 On line 42 change to "Cable Assembly ERL at TP1 and at TP4 is recommended. Also in the title of Table 136-18 change "Channel" to "Cable Assembly"
 Proposed Response Response Status **O**

Cl 136 SC 136.11.8 P 237 L 24 # r01-33
 Ran, Adeo Intel Corporation
 Comment Type **T** Comment Status **X**
 Subclause title and text refer to Channel effective return loss, but it is actually the cable assembly.
 SuggestedRemedy
 Change "channel" to "cable assembly" throughout this subclause.
 Proposed Response Response Status **O**

Cl 136 SC 136.11.8 P 237 L 24 # r01-93
 Sakai, Toshiaki socionext
 Comment Type **T** Comment Status **X**
 Since this sub-clause describes about cable assembly, "136.11.8 Channel effective return loss" should be "136.11.8 Cable assembly effective return loss".
 To be consistent with "136.11.7 Cable assembly Channel Operating Margin" and sub-clause 136.10 (p232L9) "The channel is defined between TP0 and TP5 to include the transmitter and receiver differential controlled impedance printed circuit board and the cable assembly as illustrated in Figure 136-2."
 SuggestedRemedy
 Change
 "136.11.8 Channel effective return loss"
 to
 "136.11.8 Cable assembly effective return loss".
 Proposed Response Response Status **O**

Cl 136 SC 136.11.8 P 237 L 24 # r01-41
 Mellitz, Richard Samtec, Inc.
 Comment Type **TR** Comment Status **X**
 N should be at least 5 times the reflection delay of the channel
 SuggestedRemedy
 set N to t_s/T_b*10
 t_s and T_b may be found in Annex 93A.1.6
 Proposed Response Response Status **O**

IEEE P802.3cd 50 Gb/s, 100 Gb/s, 200 Gb/s Ethernet 1st Sponsor recirculation ballot comments

CI 136 SC 136.11.8 P 237 L 26 # r01-94
 Sakai, Toshiaki socionext
 Comment Type T Comment Status X
 Since this sub-clause describes about cable assembly, "ERL of the channel at TP1 and at TP4" should be "ERL of the cable assembly at TP1 and at TP4".
 SuggestedRemedy
 Change
 "ERL of the channel at TP1 and at TP4"
 to
 "ERL of the cable assembly at TP1 and at TP4".
 Proposed Response Response Status O

CI 136 SC 136.11.8 P 237 L 42 # r01-96
 Sakai, Toshiaki socionext
 Comment Type T Comment Status X
 Since this sub-clause describes about cable assembly, "Channel ERL at TP1 and at TP4 are recommended to be greater than 10.5 dB." should be "Cable assembly ERL at TP1 and at TP4 are recommended to be greater than 10.5 dB".
 SuggestedRemedy
 Change
 "Channel ERL at TP1 and at TP4 are recommended to be greater than 10.5 dB."
 to
 "Cable assembly ERL at TP1 and at TP4 are recommended to be greater than 10.5 dB".
 Proposed Response Response Status O

CI 136 SC 136.11.8 P 237 L 32 # r01-95
 Sakai, Toshiaki socionext
 Comment Type T Comment Status X
 Since this sub-clause describes about cable assembly, "Table 136-18--Channel ERL parameter values" should be "Table 136-18--Cable Assembly ERL parameter values".
 SuggestedRemedy
 Change
 "Table 136-18--Channel ERL parameter values"
 to
 "Table 136-18--Cable Assembly ERL parameter values".
 Proposed Response Response Status O

CI 137 SC 137.9.2 P 251 L 21 # r01-43
 Mellitz, Richard Samtec, Inc.
 Comment Type TR Comment Status X
 ERL and SNR_ISI are measures of the same physical reflections and have been shown to be highly correlated. see:
http://www.ieee802.org/3/cd/public/adhoc/archive/mellitz_022118_3cd_adhoc.pdf slide 6 and 7.
 It would be desirable to have the reflection measurement method consistent for transmitter and receivers in clause 136 and 137.
 In addition, it has been show that SNR_ISI is difficult to measure for cause 137 transmit devices. see:
http://www.ieee802.org/3/cd/public/Sept17/rysin_3cd_02_0917.pdf
 SuggestedRemedy
 add an exception to the list in clause 137.9.2 to not use the line for 'Differential output return loss (min)" in table 120d-1 and remove item 3 in the list item "SNR_ISI is computed with Nb set to 12 and Dp set to 3." value of SNRISI (min) is 43 dB"
 Remove editor's note on page 251 line 54
 Proposed Response Response Status O

CI 136 SC 136.11.8 P 237 L 39 # r01-42
 Mellitz, Richard Samtec, Inc.
 Comment Type TR Comment Status X
 A rational and suggestion for rho_x and ERL min was made in
http://www.ieee802.org/3/cd/public/adhoc/archive/mellitz_022118_3cd_adhoc.pdf
 SuggestedRemedy
 Change rho_x to 0.44 and
 line 42 page 237 to
 Transmitter ERL at TP1 and at TP4 is recommended to be greater than 14 dB
 Proposed Response Response Status O

IEEE P802.3cd 50 Gb/s, 100 Gb/s, 200 Gb/s Ethernet 1st Sponsor recirculation ballot comments

Cl 137 SC 137.9.2 P 251 L 23 # r01-63
 Dawe, Piers J G Mellanox Technologie

Comment Type TR Comment Status X

Now that COM is defined with a near-neutral termination and package impedance, we don't expect transmitter return loss to align to the COM model any more. This RL is much tighter than CEI-56G-LR-PAM4 at low (and high) frequency (although apparently looser between 4 and 9 GHz). At low frequencies it is tighter than the channel RL, which seems back to front. The effect of (good) RL at low frequency is much less than the less good RL at higher frequencies anyway, and there is less concern about end-to-end reflections at higher frequencies than in C2C because the loss is higher when the receiver is challenged. If we don't go forward to an ERL-based spec we should go back to what we had a few drafts ago.

SuggestedRemedy

Either: say that the differential output return loss limit in Table 120D-1 doesn't apply (when we have a normative Tx ERL), or:
 Insert a new first item in the list of exceptions to Table 120D-1, create a new equation for Tx RL that is similar to the Cl.93 Tx RL and the channel RL at low frequencies; $12 - 0.625f$, $8.7 - 0.075f$. Add figure to illustrate.

Proposed Response Response Status O

Cl 137 SC 137.9.2 P 251 L 27 # r01-23
 Ran, Adee Intel Corporation

Comment Type TR Comment Status X

SNR_ISI (min) for this clause is still set to 43 dB, which is too high to be measurable.

For comparison, in clause 136, the updated specifications are
 SNDR (min): 32.2 dB (Tx spec)
 SNR_TX: 32.5 dB (reference Tx in COM)
 SNR_ISI (min): 31.2 dB (lower by more than 1 dB than both SNDR and SNR_TX)

While in clause 137 they are
 SNDR (min): 32.5 dB (Tx spec)
 SNR_TX: 32.5 dB (reference Tx in COM)
 SNR_ISI (min): 43 dB

Based on the values above it is suggested to specify SNR_ISI (mi) in this clause to be 1 dB lower than SNDR.

SuggestedRemedy

Change SNR_ISI (min) from 43 dB to 31.5 dB.

Proposed Response Response Status O

Cl 137 SC 137.9.2 P 251 L 28 # r01-85
 Dudek, Michael Cavium

Comment Type TR Comment Status X

The value for SNR_{risi} is unreasonably high (43dB). In 120D the value is 34.8dB which was based in part on dudek_3bs_01_0517. It is not expected that the difference between np and dp will make a large change.

SuggestedRemedy

Change the value of SNR_{risi} to 34.8dB

Proposed Response Response Status O

Cl 137 SC 137.9.2 P 251 L 29 # r01-64
 Dawe, Piers J G Mellanox Technologie

Comment Type TR Comment Status X

SNDR is measured in 33 GHz while the effect of SNR_TX is calculated (Annex 93A) in a different, lower bandwidth. This seems to lead to an error - probably because sigma_e and sigma_n are affected by bandwidth more strongly than pmax is. SNDR should be measured in something less than ~19 GHz.
 D3.0 comment 138.

SuggestedRemedy

Add ", when sigma_e and sigma_n are found from signals observed with a fourth-order Bessel-Thomson low-pass response with 19.34 GHz 3 dB bandwidth.
 NOTE--pmax is found from a signal observed with a fourth-order Bessel-Thomson low-pass response with 33 GHz 3 dB bandwidth."

Proposed Response Response Status O

IEEE P802.3cd 50 Gb/s, 100 Gb/s, 200 Gb/s Ethernet 1st Sponsor recirculation ballot comments

Cl 137 SC 137.9.2 P 281 L 28 # r01-28
 Rysin, Alexander Mellanox Technologie

Comment Type TR Comment Status X

Requirements for Transmitter output residual ISI SNR_ISI (min) of 43 dB and SNDR (min) of 32.5 dB in Clause 137 is too high - can barely measure the IC through the test fixture. The warning NOTE in 120D.3.1.7 shows the issue, but doesn't solve it. The limits for SNR_ISI in Clause 137 are even more stringent than in 120D. COM packages were shown to generate worse SNDR and SNR_ISI for the target SNR_TX. D2.0 comment 140, D2.1 comment 49, D2.2 comment 22, D3.0 comments 71, 74, 97. Previous comments, suggesting ERL should replace SNR_ISI suggest a partial remedy.

SuggestedRemedy

* Change paragraph 3 in 137.9.2 from "SNR_ISI is computed with Nb set to 12 and Dp set to 3. The value of SNR_ISI (min) is 43 dB." to "SNR_ISI is computed with Nb set to 12 and Dp set to 3. The value of SNR_ISI (min) is 30.5 dB"
 * Change paragraph 4 in 137.9.2 from "The value of SNDR (min) is 32.5 dB." to "The value of SNDR (min) is 32 dB".

See presentation.

Proposed Response Response Status O

Cl 137 SC 137.9.2.1 P 251 L 37 # r01-44
 Mellitz, Richard Samtec, Inc.

Comment Type T Comment Status X

N should be at least 2 times the reflection delay of "longest" test fixture cascaded with a long transmit function which is about 3 ns.

SuggestedRemedy

Change N to 100.

Proposed Response Response Status O

Cl 137 SC 137.9.2.1 P 251 L 42 # r01-45
 Mellitz, Richard Samtec, Inc.

Comment Type TR Comment Status X

A rational and suggestion for rho_x and ERL min was made in http://www.ieee802.org/3/cd/public/adhoc/archive/mellitz_022118_3cd_adhoc.pdf

SuggestedRemedy

Change rho_x to 0.44 and in line 51 page 251 change to Transmitter ERL at TP0A is recommended to be greater than 16.1 dB

Proposed Response Response Status O

Cl 137 SC 137.9.2.1 P 251 L 50 # r01-65
 Dawe, Piers J G Mellanox Technologie

Comment Type TR Comment Status X

The draft recommendation for transmitter ERL at TP0a (greater than 19.5 dB) is far too high. It should be similar to the channel ERL.

SuggestedRemedy

Change it to something reasonable (lower than the channel spec). Make it normative.

Proposed Response Response Status O

Cl 137 SC 137.9.2.1 P 251 L 50 # r01-89
 Sakai, Toshiaki socionext

Comment Type T Comment Status X

Based on the actual silicon measurement, Tx ERL limit (19.5dB) is too tough to meet, even Tx satisfies RL and other spec. And the Tx can transmit data without any issues.
 - At ad hoc call on Feb/21, KR device ERLmin was updated to 16.1dB. This is enough.
 - A presentation (sakai_3cd_01_0318) regarding KR device ERL measurement results will be explained at Rosemont F2F meeting.

SuggestedRemedy

Change transmitter ERL limit from "greater than 19.5dB" to "greater than 16.1dB".

Proposed Response Response Status O

IEEE P802.3cd 50 Gb/s, 100 Gb/s, 200 Gb/s Ethernet 1st Sponsor recirculation ballot comments

CI 137 SC 137.9.2.1 P 251 L 50 # r01-87
 Sakai, Toshiaki socionext

Comment Type T Comment Status X

"Transmitter ERL at TP0a" should be "Transmitter ERL at TP0", since test fixture effect (Tfx) is excluded in ERL calculation.
 Though the measurement point itself is TP0a, ERL value is at TP0. To avoid misunderstanding, it looks better to be TP0, instead of TP0a.
 Please refer to "mellitz_3cd_020718_adhoc-v2.pdf" page-4, 9 and 10.

SuggestedRemedy

Change
 "Transmitter ERL at TP0a"
 to
 "Transmitter ERL at TP0"

Proposed Response Response Status O

CI 137 SC 137.9.3 P 252 L 2 # r01-46
 Mellitz, Richard Samtec, Inc.

Comment Type TR Comment Status X

Transmitter and receiver ERL should be the same.

SuggestedRemedy

Make Clause 137.9.3 and 137.9.2 consistant

Proposed Response Response Status O

CI 137 SC 137.9.3 P 252 L 4 # r01-66
 Dawe, Piers J G Mellanox Technologie

Comment Type TR Comment Status X

Now that COM is defined with a near-neutral termination and package impedance, receiver mismatch is the receiver designer's concern, not the standard's, unless it is very extreme, because the receiver interference tolerance test finds its effect combined with other receiver attributes. And we don't expect receiver return loss to align to the COM model any more. This RL is much tighter than CEI-56G-LR-PAM4 at low (and high) frequency (although apparently looser between 4 and 9 GHz). At low frequencies it is tighter than the channel RL, which is the wrong way round. The effect of (good) RL at low frequency is much less than the less good RL at higher frequencies anyway. If we don't go forward to an ERL-based spec we should go back to what we had a few drafts ago.
 D3.0 comment 141.

SuggestedRemedy

Either: say that the differential output return loss limit in Table 120D-5 doesn't apply, or: Insert a new first item in the list of exceptions to Table 120D-5, create a new equation for Rx RL that is similar to the CI.93 RL and the channel RL at low frequencies; 12 -0.625f, 8.7-0.075f. Add figure to illustrate or point to the figure for Tx RL (see another comment).

Proposed Response Response Status O

CI 137 SC 137.9.3.1 P 252 L 21 # r01-88
 Sakai, Toshiaki socionext

Comment Type T Comment Status X

"Receiver ERL at TP5a" should be
 "Receiver ERL at TP5", since test fixture effect (Tfx) is excluded in ERL calculation.
 Though the measurement point itself is TP5a, ERL value is at TP5. To avoid misunderstanding, it looks better to be TP5, instead of TP5a.
 Please refer to "mellitz_3cd_020718_adhoc-v2.pdf" page-4, 9 and 10.

SuggestedRemedy

Change
 "Receiver ERL at TP5a"
 to
 "Receiver ERL at TP5"

Proposed Response Response Status O

IEEE P802.3cd 50 Gb/s, 100 Gb/s, 200 Gb/s Ethernet 1st Sponsor recirculation ballot comments

Cl 137 SC 137.9.3.1 P 252 L 21 # r01-67
 Dawe, Piers J G Mellanox Technologie
 Comment Type **TR** Comment Status **X**
 The draft recommendation for transmitter ERL at TP5a (greater than 19.5 dB) is far too high. It should be significantly lower than the transmitter ERL (after that is corrected) because the receiver suffers the consequences of its own bad ERL in the RITT - so we barely need a spec at all.
 SuggestedRemedy
 Change it to something reasonable (lower than the corrected transmitter spec). Make it normative.
 Proposed Response Response Status **O**

Cl 137 SC 137.10.3 P 255 L 45 # r01-49
 Mellitz, Richard Samtec, Inc.
 Comment Type **TR** Comment Status **X**
 A rational and suggestion for rho_x and ERL min was made in http://www.ieee802.org/3/cd/public/adhoc/archive/mellitz_022118_3cd_adhoc.pdf and http://www.ieee802.org/3/cd/public/adhoc/archive/heck_022118_3cd_adhoc.pdf
 SuggestedRemedy
 Change rho_x to 0.44 and in line 48 page 255 change to Transmitter ERL at TP0 or TP5 is recommended to be greater than 11 dB
 Proposed Response Response Status **O**

Cl 137 SC 137.10.2 P 254 L 11 # r01-47
 Mellitz, Richard Samtec, Inc.
 Comment Type **T** Comment Status **X**
 It has been shown in many prior ad-hoc meetings that channels which fail return loss do no fail in systems. The latest report may be found in: http://www.ieee802.org/3/cd/public/adhoc/archive/heck_022118_3cd_adhoc.pdf
 No correlation to return loss and COM has been demonstrated.
 SuggestedRemedy
 remove clause 137.10.1
 Remove editor's note on page 255 line 50.
 Proposed Response Response Status **O**

Cl 137 SC 137.10.3 P 255 L 48 # r01-68
 Dawe, Piers J G Mellanox Technologie
 Comment Type **TR** Comment Status **X**
 The draft recommendation for channel ERL (greater than 9.5 dB) is much lower than for Tx and Rx when it should be slightly higher than Tx. It may be too low anyway.
 SuggestedRemedy
 Change it to something similar or higher than the corrected transmitter spec. Make it normative.
 Proposed Response Response Status **O**

Cl 137 SC 137.10.3 P 255 L 35 # r01-48
 Mellitz, Richard Samtec, Inc.
 Comment Type **TR** Comment Status **X**
 N should be at least 5 times the reflection delay of the channel
 SuggestedRemedy
 set N to t_s/T_b*10
 t_s and T_b may be found in Annex 93A.1.6
 Proposed Response Response Status **O**

Cl 138 SC 138 P 263 L 1 # r01-69
 Dawe, Piers J G Mellanox Technologie
 Comment Type **TR** Comment Status **X**
 This clause has received next to no attention - it's still the baseline, with some TDECQ changes inherited from other clauses. It needs more study. D3.0 comment 122.
 SuggestedRemedy
 Do the work. Show technical feasibility for the draft spec (after improvements). The alternatives are:
 withdraw the clause, which would be a pity; or
 delay the project until the work gets done.
 Proposed Response Response Status **O**

IEEE P802.3cd 50 Gb/s, 100 Gb/s, 200 Gb/s Ethernet 1st Sponsor recirculation ballot comments

Cl 138 SC 138.7.1 P 273 L 22 # r01-70
 Dawe, Piers J G Mellanox Technologie

Comment Type TR Comment Status X

A TDECQ limit of 4.9 seems very high, given that the same fibres and transmitter, and receiver front-ends that should not be worse, can do 100GBASE-SR4 (PAM2, almost the same signalling rate) without the FFE. D.30 comment 119.

Also, it seems that the TDECQ spec limit can be "gamed" (D3.0 comment 116).

SuggestedRemedy

Compare a minimally compliant 100GBASE-SR4 transmitter and set the TDECQ limit accordingly. Provide a signal quality spec that cannot be "gamed".

Proposed Response Response Status O

Cl 138 SC 138.8.5 P 276 L 17 # r01-102
 Liu, Hai-Feng Intel Corporation

Comment Type TR Comment Status X

The sub-eye threshold levels in current TDECQ measurement are determined by the OMAouter and the average optical power of the PAM4 eye diagram (Pave) as defined in equations (121-1), (121-2) and (121-3). While this is good for perfectly linear PAM4 signals with 3 equal eye amplitudes, it would lead to pessimistic TDECQ values as compared to the link sensitivity penalty measurements where thresholds are adjusted by real receivers to achieve the lowest BER even if the signal is not perfectly linear.

Several vendors have contributed data (way_3bs_01a_0717, tamura_3bs_01a_0917, baveja_3cd_01_1117) showing many units that are able to close the link with good sensitivity/BER margin would fail to meet the maximum TDECQ specification, causing good transmitters to be failed.

At Geneva interim, the joint presentation (liu_3cd_01a_0118) to propose the adaption of threshold adjustment in TDECQ measurements was reviewed, and team was asked to provide additional info to show

- 1) threshold adjustment doesn't result in SRS test source having too high a stress for the receiver, and
- 2) threshold adjustment significantly improves correlation between TDECQ and measured receiver sensitivity.

To address these two issues, the team has made significant efforts with the preliminary results presented in chang_021418_3cd_adhoc-v2, which showed

1. A maximum of 2% of threshold adjustment is sufficient to improve the TDECQ measurements
2. With threshold adjustment, the correlation between TDECQ and measured receiver sensitivity is improved
3. The impacts on Rx SRS is within 0.1 - 0.2 dB.

In addition, the measurement software has been developed by both Keysight and Tektronix.

SuggestedRemedy

Proposed Change: Propose to adopt threshold optimization in TDECQ measurement as described in mazzini_120617_3cd_adhoc-v2, liu_3cd_01a_0118, chang_021418_3cd_adhoc-v2 with the constraints on the allowable adjustment range to be 2% of signal OMAouter.

Add one more exception into '138.8.5 Transmitter and dispersion eye closure - quaternary (TDECQ)'.

- "Pth1, Pth2, and Pth3 are varied by up to 2% of OMA_outer."

An updated presentation of chang_021418_3cd_adhoc-v2 will be submitted for the March meeting to address additional issues raised at ad hoc with the summary of the proposal, supporting measurement data, and suggested changes in details.

Proposed Response Response Status O

IEEE P802.3cd 50 Gb/s, 100 Gb/s, 200 Gb/s Ethernet 1st Sponsor recirculation ballot comments

Cl 138 SC 138.8.5 P 276 L 32 # r01-97
 Tamura, Kohichi Oclaro

Comment Type TR Comment Status X

Several presentations raised the concern that the existing TDECQ specification is too stringent because acceptable link performance is observed with transmitters that have marginal or failing TDECQ (see way_3bs_01a_0717, tamura_3bs_01a_0917, baveja_3cd_01_1117). This creates the risk that transmitter yields will be needlessly impacted, which will increase cost. Allowing a small amount of optimization to the threshold levels Pth1, Pth2, and Pth3 (defined by equations (121-1), (121-2), and (121-3) in 121.8.5.3) will make TDECQ easier to pass, reducing the risk of low transmitter yield (see mazzini_120617_3cd_adhoc-v2, liu_3cd_01a_0118, and chang_021418_3cd_adhoc-v2). As long as the amount of variation is much smaller than the threshold optimization performed by real receivers, the existing receiver specifications will not be affected.

SuggestedRemedy

Add the following exception:

"Pth1, Pth2, and Pth3 are varied by up to 2% of OMA_outer."

Justification will be given in an updated version of chang_021418_3cd_adhoc-v2 at the March plenary meeting in Chicago.

Proposed Response Response Status O

Cl 138 SC 138.8.5 P 276 L 33 # r01-71
 Dawe, Piers J G Mellanox Technologie

Comment Type TR Comment Status X

It seems that it is possible to make a bad transmitter (e.g. with a noisy or distorted signal), use emphasis to get it to pass the TDECQ test, yet leave a realistic, compliant receiver with an unreasonable challenge, such as high peak power, high crest factor, or a need to remove emphasis from the signal, contrary to what equalizers are primarily intended to do. Note the receiver is tested for a very slow signal only, not for any of these abusive signals. This is an issue for all the PAM4 optical PMDs, although it may be worse for MMF because of the high TDECQ limit and because the signal is measured in a particularly low bandwidth.
 D3.0 comment 116.

SuggestedRemedy

- To screen for noisy or distorted signals with heavy emphasis:
 Define $TDECQ_{rms} = 10 \cdot \log_{10}(A_{RMS}/(s^3 \cdot Q_t \cdot R))$ where A_{RMS} is the standard deviation of the measured signal after the 13.28125 GHz or 11.2 GHz filter response (before the FFE), Q_t and R are as already in Eq 212-12. s is the standard deviation of a fast clean signal with OMA=2 and without emphasis, observed through the filter response (0.6254 for 13.28125 GHz, 0.6006 for 11.2 GHz).
 Either, set limit for $TDECQ_{rms}$ according to what level of dirty-but-emphasised signal we decide is acceptable, add max $TDECQ_{rms}$ row to each transmitter table.
 Or, if the same relative limit is acceptable for all PAM4 optical PMDs, the limit could be here in the TDECQ procedure. e.g. make the $TDECQ_{rms}$ limit the same as the TDECQ limit, say here that both TDECQ and $TDECQ_{rms}$ must meet the TDECQ spec.
- To protect the receiver from having to "invert" heavily over-emphasised signals, set a minimum cursor weight, 0.9.
 Similarly in clauses 139, 140.
 To protect the equalizer from having to support unnecessary settings for waveforms that can't or shouldn't ever happen, constrain the cursor position - see other comments .

Proposed Response Response Status O

IEEE P802.3cd 50 Gb/s, 100 Gb/s, 200 Gb/s Ethernet 1st Sponsor recirculation ballot comments

CI 138 SC 138.8.5.1 P 276 L 37 # r01-72
 Dawe, Piers J G Mellanox Technologie

Comment Type E Comment Status X

Specifications work at different levels: functional, logic/digital, analog (electrical or optical). "Functional" is the highest/most abstract, while this FFE diagram is part of the specification of an analog quantity. Examples "A functional block diagram of the RS-FEC sublayer is shown in Figure 134-2", "if the 50GMII is not implemented, a conforming implementation must behave functionally as though the RS and 50GMII were present", "PMD functional specifications". I know the copper clauses say "functional model for the transmit equalizer", but this isn't copper or a "transmit equalizer".

SuggestedRemedy

Change "symbol period. A functional model of the reference equalizer is shown in Figure 138-3" to "symbol period, as shown in Figure 138-3". Change the figure title from "TDECQ reference equalizer functional model" to "TDECQ reference equalizer". Similarly in 139.7.5.4 and 140.7.5.1.

Proposed Response Response Status O

CI 138 SC 138.8.5.1 P 276 L 38 # r01-73
 Dawe, Piers J G Mellanox Technologie

Comment Type TR Comment Status X

Further investigation of possible minimally compliant MMF signals and their associated TDECQ FFE settings indicates that 2 pre, 2 post (making the cursor the third tap) is never significantly better than 1 pre, 3 post (making it the second tap), for compliant signals. Further refining the TDECQ search rules will avoid inefficiency both in product receiver design, testing and operation, and in TDECQ testing.

SuggestedRemedy

Change "Tap 1, tap 2, or tap 3, has" to "Tap 1 or tap 2 has". There is a separate comment for SMF because the different TDECQ limit there could lead to a different conclusion.

Proposed Response Response Status O

CI 138 SC 138.8.5.1 P 276 L 38 # r01-74
 Dawe, Piers J G Mellanox Technologie

Comment Type TR Comment Status X

Excluding scenarios that won't happen will pave the way to more efficient receivers, hence the new rule for largest tap position. For the first position to be largest and for this to be significantly better than other solutions, the signal would have to be both fast (so that a precursor tap is not useful) and spread out (so that a fourth postcursor is useful). As the reference receiver bandwidth for MMF is only 0.42*fb (slower than for SMF), the MMF signal at the FFE won't be fast.

SuggestedRemedy

Unless we have evidence to the contrary, change "Tap 1, tap 2, or tap 3, has" to "Tap 2 or tap 3 has".

Consider the evidence and if appropriate, do the same in 139.7.5.4.

Proposed Response Response Status O

CI 138 SC 138.8.7 P 277 L 30 # r01-22
 Anslow, Peter Ciena Corporation

Comment Type E Comment Status X

In the Y axis label of Figures 138-4, 139-6, and 140-5, the "outer" is not a subscript.

SuggestedRemedy

In the Y axis label of Figures 138-4, 139-6, and 140-5, change the label so that "outer" is a subscript.

Proposed Response Response Status O

IEEE P802.3cd 50 Gb/s, 100 Gb/s, 200 Gb/s Ethernet 1st Sponsor recirculation ballot comments

CI 138 SC 138.8.8 P 278 L 12 # r01-19
 Ran, Adee Intel Corporation

Comment Type TR Comment Status X

Several comments against D3.0 noted that the SRS test conditions can be calibrated in multiple ways.

(Note that although for the reference receiver the SRS result is independent of the choice of stress conditions, this may not be true for specific implementations. For example, a receiver with better equalization capabilities than the reference receiver but with more internal noise may pass the test if the stress is mostly ISI, but fail if the stress is mostly uncorrelated noise.)

The response to comment i-58 against D3.0 indicated that there is deliberate freedom in setting up the SRS test source.

Discussions following presentations related to that comment (e.g. schube_011718_3cd_adhoc) indicated that this freedom is desirable, since different PMD transmitters with different characteristics can be used by link partners (for example, high bandwidth with large noise, or low bandwidth with low noise). Narrowing down the test parameters may exclude conditions caused by some compliant transmitters.

This implies that in order to interoperate with any compliant transmitter, a receiver should pass the SRS test regardless of how the stress signal is calibrated.

This may seem obvious for people with deep understanding of the standard, but test engineers may have different interpretations, and may decide based on only one test condition that happens to make the DUT pass. This approach also enables "gaming the test" by choosing particular test conditions that are favorable for a device.

It is suggested to clarify the intent of the freedom of choice of stress conditions with an informative note.

Note that a similar comment is submitted to the revision project (802.3cj D3.1). If that comment is accepted, its effect will be inherited by all clauses in P802.3cd. This comment is submitted here for the editors' attention.

SuggestedRemedy

Add the following note at the end of 138.8.8:

NOTE--The stress conditions in the SRS test can be calibrated in several ways. A compliant PMD receiver is expected to meet the sensitivity requirements with a calibrated conformance test signal regardless of the choice of stress components.

Add similar notes in 139.7.9.2 and in 140.7.9.

Proposed Response Response Status O

CI 139 SC 139.7.5.1 P 299 L 42 # r01-50
 Zivny, Pavel Tektronix, Inc.

Comment Type T Comment Status X

The system measuring the TDECQ is insufficiently specified. The measurement bandwidth roll-off after the -3 dB point should be specified as per zivny_3cd_01a_0118.pdf, with slight modification based on the feedback received. I agree that this is not a complete fix - specifying the tolerances more fully would be better - but it is an improvement over current situation (no limit on where to roll-off).

SuggestedRemedy

after this "The combination of the O/E and the oscilloscope has a fourth-order Bessel-Thomson filter response with a bandwidth of approximately 13.28125 GHz."

add
 The roll-off past the -3 dB point should be gradual and no more than 3dB from nominal B-T filter at 0.9 * symbol rate frequency.

Proposed Response Response Status O

IEEE P802.3cd 50 Gb/s, 100 Gb/s, 200 Gb/s Ethernet 1st Sponsor recirculation ballot comments

CI 139 SC 139.7.5.3 P 300 L 44 # r01-99
 Tamura, Kohichi Oclaro

Comment Type TR Comment Status X

Several presentations raised the concern that the existing TDECQ specification is too stringent because acceptable link performance is observed with transmitters that have marginal or failing TDECQ (see way_3bs_01a_0717, tamura_3bs_01a_0917, baveja_3cd_01_1117). This creates the risk that transmitter yields will be needlessly impacted, which will increase cost. Allowing a small amount of optimization to the threshold levels Pth1, Pth2, and Pth3 (defined by equations (121-1), (121-2), and (121-3) in 121.8.5.3) will make TDECQ easier to pass, reducing the risk of low transmitter yield (see mazzini_120617_3cd_adhoc-v2, liu_3cd_01a_0118, and chang_021418_3cd_adhoc-v2). As long as the amount of variation is much smaller than the threshold optimization performed by real receivers, the existing receiver specifications will not be affected.

SuggestedRemedy

Change:
 "TDECQ for 50GBASE-FR and 50GBASE-LR is measured as described in 121.8.5.3 with the exception that the reference equalizer is as specified in 139.7.5.4."

To:
 "TDECQ for 50GBASE-FR and 50GBASE-LR is measured as described in 121.8.5.3 with the following exceptions:

- The reference equalizer is as specified in 139.7.5.4
- Pth1, Pth2, and Pth3 are varied by up to 2% of OMA_outer."

Justification will be given in an updated version of chang_021418_3cd_adhoc-v2 at the March plenary meeting in Chicago.

Proposed Response Response Status O

CI 139 SC 139.7.5.3 P 300 L 44 # r01-103
 Liu, Hai-Feng Intel Corporation

Comment Type TR Comment Status X

The sub-eye threshold levels in current TDECQ measurement are determined by the OMAouter and the average optical power of the PAM4 eye diagram (Pave) as defined in equations (121-1), (121-2) and (121-3). While this is good for perfectly linear PAM4 signals with 3 equal eye amplitudes, it would lead to pessimistic TDECQ values as compared to the link sensitivity penalty measurements where thresholds are adjusted by real receivers to achieve the lowest BER even if the signal is not perfectly linear.

Several vendors have contributed data (way_3bs_01a_0717, tamura_3bs_01a_0917, baveja_3cd_01_1117) showing many units that are able to close the link with good sensitivity/BER margin would fail to meet the maximum TDECQ specification, causing good transmitters to be failed.

At Geneva interim, the joint presentation (liu_3cd_01a_0118) to propose the adaption of threshold adjustment in TDECQ measurements was reviewed, and team was asked to provide additional info to show

- 1) threshold adjustment doesn't result in SRS test source having too high a stress for the receiver, and
- 2) threshold adjustment significantly improves correlation between TDECQ and measured receiver sensitivity.

To address these two issues, the team has made significant efforts with the preliminary results presented in chang_021418_3cd_adhoc-v2, which showed

- 1 A maximum of 2% of threshold adjustment is sufficient to improve the TDECQ measurements
- 2 With threshold adjustment, the correlation between TDECQ and measured receiver sensitivity is improved
- 3 The impacts on Rx SRS is within 0.1 - 0.2 dB.

In addition, the measurement software has been developed by both Keysight and Tektronix.

SuggestedRemedy

Propose to adopt threshold optimization in TDECQ measurement as described in mazzini_120617_3cd_adhoc-v2, liu_3cd_01a_0118, chang_021418_3cd_adhoc-v2 with the constraints on the allowable adjustment range to be 2% of signal OMAouter.

Change:
 "TDECQ for 50GBASE-FR and 50GBASE-LR is measured as described in 121.8.5.3 with the exception that the reference equalizer is as specified in 139.7.5.4."

To:
 "TDECQ for 50GBASE-FR and 50GBASE-LR is measured as described in 121.8.5.3 with the following exceptions:

- The reference equalizer is as specified in 139.7.5.4
- Pth1, Pth2, and Pth3 are varied by up to 2% of OMA_outer."

An updated presentation of chang_021418_3cd_adhoc-v2 will be submitted for the March meeting to address additional issues raised at ad hoc with the summary of the proposal, supporting measurement data, and suggested changes in details.

IEEE P802.3cd 50 Gb/s, 100 Gb/s, 200 Gb/s Ethernet 1st Sponsor recirculation ballot comments

Proposed Response Response Status

Cl 139 SC 139.7.5.4 P 300 L 47 # r01-75

Dawe, Piers J G Mellanox Technologie

Comment Type **E** Comment Status **X**

139.7.5.4

SuggestedRemedy

139.7.5.3.1 (twice)

Proposed Response Response Status

Cl 139 SC 139.7.5.4 P 301 L 1 # r01-76

Dawe, Piers J G Mellanox Technologie

Comment Type **TR** Comment Status **X**

Further investigation of possible minimally compliant SMF signals and their associated TDECQ FFE settings indicates that 2 pre, 2 post (making the cursor the third tap) is never significantly better than 1 pre, 3 post (making it the second tap), for compliant signals. Further refining the TDECQ search rules will avoid inefficiency both in product receiver design, testing and operation, and in TDECQ testing.

SuggestedRemedy

Change "Tap 1, tap 2, or tap 3, has" to "Tap 1 or tap 2 has". Do the same in 140.7.5.1 because the TDECQ limit is similar. There is a separate comment for MMF because the different TDECQ limit there could lead to a different conclusion.

Proposed Response Response Status

Cl 139 SC 139.7.10.2 P 299 L 54 # r01-100

Liu, Hai-Feng Intel Corporation

Comment Type **TR** Comment Status **X**

[note that a comment is needed in this section in addition to the comment above to avoid any confusion with the less clear instructions in the referenced 802.3bs section 121.8.9.2] PAM4 link analysis has shown (see schube_3cd_02_0118) that the composition and ratio of the stressors in the stressed receiver sensitivity test can have a strong impact on link performance. In particular, the same SECQ can generate widely varying BER performance from the same receiver depending on the amount of ISI/bandwidth limitation as a portion of the overall SECQ stress. To address this we propose to clarify the current language describing the stressor ratio to be used to create the stressed Rx sensitivity conformance test input, to avoid understressing the receiver and causing interoperability issues.

SuggestedRemedy

Add the following sentence to the end of section 139.7.10.2: "Note that regardless of calibration method, and regardless of the characteristics of the reference/test transmitter before stressors are added, at least half of the total dB value of stressed eye closure (SECQ) should be from bandwidth limitations / ISI, as outlined in section 139.7.9.1 above."

Proposed Response Response Status

IEEE P802.3cd 50 Gb/s, 100 Gb/s, 200 Gb/s Ethernet 1st Sponsor recirculation ballot comments

Cl 140 SC 140.3.2 P 315 L 46 # r01-77
 Dawe, Piers J G Mellanox Technologie

Comment Type TR Comment Status X

The Skew at SP3 (the output of the PMD), SP4 (the receiver MDI) and at SP5 (PMD service interface, output) have to be the same as at SP2 (PMD service interface, input of the PMD) for 100GBASE-DR, a serial PMD. As the receiver can't do anything about it, the "shall"s for SP4 and SP5 are not appropriate. What we write for a 1-lane PMD and PMA input doesn't affect the multi-lane PMA interfaces and PMDs: the point that is common to different PMDs is SP6, not SP3-5. D3.0 comment 125.

SuggestedRemedy

Change:

The Skew at SP3 (the transmitter MDI) shall be less than 54 ns. Since the signal at the MDI represents a serial bit stream, there is no Skew Variation at this point.
 The Skew at SP4 (the receiver MDI) shall be less than 134 ns. Since the signal at the MDI represents a serial bit stream, there is no Skew Variation at this point.
 If the PMD service interface is physically instantiated so that the Skew at SP5 can be measured, then the Skew at SP5 shall be less than 145 ns. Since the signal at the PMD service interface represents a serial bit stream, there is no Skew Variation at this point. to:
 The Skew at SP3 (the transmitter MDI) shall also be less than 43 ns. Since the signal at the MDI represents a serial bit stream, there is no Skew Variation at this point.
 The Skew at SP4 (the receiver MDI) and SP5 (the output of the PMD at the PMD service interface) is the same as at SP2, and there is no Skew Variation at these points.

Correct Table 80-6, Summary of Skew constraints - add notes to the entries for SP3 SP4 SP4 saying that for 100GBASE-DR, the maximum Skew is as for SP2.

Proposed Response Response Status O

Cl 140 SC 140.7.5 P 323 L 8 # r01-104
 Liu, Hai-Feng Intel Corporation

Comment Type TR Comment Status X

The sub-eye threshold levels in current TDECQ measurement are determined by the OMAouter and the average optical power of the PAM4 eye diagram (Pave) as defined in equations (121-1), (121-2) and (121-3). While this is good for perfectly linear PAM4 signals with 3 equal eye amplitudes, it would lead to pessimistic TDECQ values as compared to the link sensitivity penalty measurements where thresholds are adjusted by real receivers to achieve the lowest BER even if the signal is not perfectly linear.

Several vendors have contributed data (way_3bs_01a_0717, tamura_3bs_01a_0917, baveja_3cd_01_1117) showing many units that are able to close the link with good sensitivity/BER margin would fail to meet the maximum TDECQ specification, causing good transmitters to be failed.

At Geneva interim, the joint presentation (liu_3cd_01a_0118) to propose the adaption of threshold adjustment in TDECQ measurements was reviewed, and team was asked to provide additional info to show

- 1) threshold adjustment doesn't result in SRS test source having too high a stress for the receiver, and
- 2) threshold adjustment significantly improves correlation between TDECQ and measured receiver sensitivity.

To address these two issues, the team has made significant efforts with the preliminary results presented in chang_021418_3cd_adhoc-v2, which showed

- 1 A maximum of 2% of threshold adjustment is sufficient to improve the TDECQ measurements
- 2 With threshold adjustment, the correlation between TDECQ and measured receiver sensitivity is improved
- 3 The impacts on Rx SRS is within 0.1 - 0.2 dB.

In addition, the measurement software has been developed by both Keysight and Tektronix.

SuggestedRemedy

Propose to adopt threshold optimization in TDECQ measurement as described in mazzini_120617_3cd_adhoc-v2, liu_3cd_01a_0118, chang_021418_3cd_adhoc-v2 with the constraints on the allowable adjustment range to be 2% of signal OMAouter.

Add one more exception into '140.7.5 Transmitter and dispersion eye closure for PAM4 (TDECQ).

"Pth1, Pth2, and Pth3 are varied by up to 2% of OMA_outer."

An updated presentation of chang_021418_3cd_adhoc-v2 will be submitted for the March meeting to address additional issues raised at ad hoc with the summary of the proposal, supporting measurement data, and suggested changes in details.

Proposed Response Response Status O

IEEE P802.3cd 50 Gb/s, 100 Gb/s, 200 Gb/s Ethernet 1st Sponsor recirculation ballot comments

Cl 140 SC 140.7.5 P 323 L 23 # r01-98
 Tamura, Kohichi Oclaro

Comment Type TR Comment Status X

Several presentations raised the concern that the existing TDECQ specification is too stringent because acceptable link performance is observed with transmitters that have marginal or failing TDECQ (see way_3bs_01a_0717, tamura_3bs_01a_0917, baveja_3cd_01_1117). This creates the risk that transmitter yields will be needlessly impacted, which will increase cost. Allowing a small amount of optimization to the threshold levels Pth1, Pth2, and Pth3 (defined by equations (121-1), (121-2), and (121-3) in 121.8.5.3) will make TDECQ easier to pass, reducing the risk of low transmitter yield (see mazzini_120617_3cd_adhoc-v2, liu_3cd_01a_0118, and chang_021418_3cd_adhoc-v2). As long as the amount of variation is much smaller than the threshold optimization performed by real receivers, the existing receiver specifications will not be affected.

SuggestedRemedy

Add the following exception:

"Pth1, Pth2, and Pth3 are varied by up to 2% of OMA_outer."

Justification will be given in an updated version of chang_021418_3cd_adhoc-v2 at the March plenary meeting in Chicago.

Proposed Response Response Status O

Cl 140 SC 140.7.5.1 P 323 L 29 # r01-78
 Dawe, Piers J G Mellanox Technologie

Comment Type TR Comment Status X

Excluding scenarios that won't happen will pave the way to more efficient receivers, as recognised by the new cursor position rule. Getting to a single cursor tap position will improve TDECQ consistency by avoiding an alternative "local minimum". A 100 Gb/s/lane SMF signal that needs the equalizer will be slower, relative to the signalling rate, than a 50 Gb/s/lane signal, and in the range of "causal" like an electrical signal, to "neutral" like a BT4 filter. But maybe not so extremely lopsided that the a fourth postcursor would be more use than a single precursor.

SuggestedRemedy

Unless we have evidence to the contrary, change "Tap 1, tap 2, or tap 3, has" to "Tap 2 or tap 3 has".

Consider the evidence and if appropriate, do the same in 139.7.5.4.

Proposed Response Response Status O

Cl 140 SC 140.7.10 P 320 L 15 # r01-101
 Liu, Hai-Feng Intel Corporation

Comment Type TR Comment Status X

PAM4 link analysis has shown (see schube_3cd_02_0118) that the composition and ratio of the stressors in the stressed receiver sensitivity test can have a strong impact on link performance. In particular, the same SECQ can generate widely varying BER performance from the same receiver depending on the amount of ISI/bandwidth limitation as a portion of the overall SECQ stress. To address this we propose to clarify the current language describing the stressor ratio to be used to create the stressed Rx sensitivity conformance test input, to avoid understressing the receiver and causing interoperability issues.

SuggestedRemedy

Add the following sentence to the end of section 140.7.10: "Note that regardless of calibration method, and regardless of the characteristics of the reference/test transmitter before stressors are added, at least half of the total dB value of stressed eye closure (SECQ) should be from bandwidth limitations / ISI."

Proposed Response Response Status O