10/3/2023


- 1. Log into myProject with your login credentials.
- 2. Click #4 of the color wheel in the middle of the page:



3. Click on "Manage Invitations and Ballots":




4. Find your Standard, in this case PC5.12.28, and click on "View Ballot Details".




10/3/2023

- 5. Scroll down until you see the 4 tabs (Vote-Comment, Ballot Group, etc.). In the *Vote-Comment* tab:
 - a) Select the appropriate ballot stage,
 - b) Then click "Export Comments" and select "As Excel":




- 6. Save the ZIP file, extract the Excel spreadsheet and save it.
- 7. Open the spreadsheet.




- 8. I find that the supplied formating makes reading the comments hard, so I:
 - a) Make a copy of the Comments sheet select that tab, right-click *Move or Copy*, check the *Creat a copy* box, rename the new tab if desired

10/3/2023

b) Freeze the top row so it dooesn't scroll away, type **fre** in the search box, select **Freeze Panes**, select **Freeze Top Row**




c) Format cells: Selct ALL (click on upper left box)




10/3/2023

d) Select the borders box and then All Borders




e) Selct columns D through K, click on the *Data* tab, Click on *Group*, then *Group*




10/3/2023

f) Collapse columns D-K – Click on the minus box:




g) Now you have a decent sized work space – the Red headed columns T and U are where you will enter your proposed dispositions




h) Sort the comments so they match the flow of the document [NOTE: Previously formating your draft with continuous line numbers makes this easy, otherwise you will have to correct erroneous page numbers and use a multi-layerd sort]

10/3/2023

i. Scroll down to the last row and click in the last data cell in column X, then Shift + click in cell A1 – this selects all of the data




ii. On the *Data* tab, select *Sort* with the headers box selected, then scroll down to *Line* and click on *Ok*



10/3/2023

iii. Save the spreadsheet. Comments are now in the best order for finding them in the balloted document.




9. Although it is a fair amount of work, putting all of the comments on the balloted PDF document greatly simplifies review and discussion of the comments. I use the comment functions in Adobe Reader to add the comment numbers and the commenter's suggestion in context:

453	4.1.10 Door hardware
454	Locking bolts and associated threaded receptacles, hinges, and hinge pins shall be AISI type 304 stainless
455	steel ⁹ or material of equivalent corrosion resistance.
	There shall be no handhole covers that can be opened from outside of
456	4.1.11 Handhole covers the enclosure. I-26
457	If handhole covers are exposed, they shall be secured from the inside of the enclosure.
458	4.1.12 Locking/latching devices
459	The latching device(s) shall be designed and constructed of such a material so as to resist breaking or bending.
460	The provision for locking device(s) on the enclosure door(s) shall be designed and located as to comply with
461	the defined tests.
462	4.1.13 Attachments
463	Any attachments to the assembled equipment (e.g., sight glass, viewing window, gauge, etc.) that are exposed
464	to the external environment must retain their intended functionality. "and be tested for the same external
465	4.1.14 Fire resistance environment as the overall enclosure." I-27
466	The enclosure shall be constructed of fire-resistant material.
400	"Non-metallic enclosures shall be made from material having an Underwriters Laboratories
467	4.1.15 Enclosure access 94-5V rating, or the enclosure shall comply with the 5 inch flame test specified in UL 746C."
468	All access doors shall be fastened with a device that uses a pentanead tool to permit unlatching the door only
469	after the padlock has been removed. This pentahead device or bolt shall be coordinated such that the padlock
470	cannot be inserted into hasp until the access door is fully latched and the pentahead device is securely
471	engaged. Insert a comma I-45
472	Enclosures without latches shall have padlock and pentahead bolt provisions and shall be coordinated to
473	prevent insertion of a padlock until the access door is fully closed and the pentahead device or bolt is securely
474	engaged. The padlock shall be removed before the pentahead bolt can be disengaged.
475	"It shall not be possible to disengage the pentahead bolt until the padlock is removed." I-29 A minumum of one pentahead device of bolt and padlocking means shall be provided. The pentahead device
476	or holt shall be surrounded by a non-rotating guard or shall be recessed such that the pentahead device or holt
477	can be engaged only by the proper tool. The dimensions of the pentahead bolt and non-rotating recess shall
478	comply with Figure 1. The pentahead device or bolt shall not be readily removable until the padlock has been duplicated
479	removed. More than one door may be fastened with a single padlock and pentahead device or bolt. In the
	


10/3/2023

- 10. Convene your Comment Resolution Group (CRG) to discuss and recommend a resolution to each comment. Either record the CRG's decision in the text boxes on the PDF or have a volunteer record it in the spreadsheet.
- 11. Enter the CRG's remended action in the comment spreadsheet. Click in the lower right of the cell in column T to select the appropriate one of the three allowed entries [ACCEPTED, REJECTED, REVISED]. In column U enter the reason for REJECTED OR REVISED resonses.

 ACCEPTED should have no comment in column U.




12. Another useful tool is the *Filter* function.




10/3/2023

For example, selecting (blanks) in column T to find any unanswered comments.



- 13. Be cautious about inserting columns and sorting incorrectly.
- 14. Columns V, W, and X can be renamed and used for various purpposes.
- 15. Comments beyond the scope of the current revision or without sufficient suggested change detail can be answered along the lines of:



- 16. Obtain WG approval for the changes.
- 17. Create a new draft and make the agreed to red line changes.
- 18. The upload is finicky and you will likely need to copy and paste your T and U data into your original download. Sort both tabs by the *Comment ID* (not the *Comment #)* select all of the data from T2 through the last row in column U, then paste them at cell T2 of the original sheet. The data should now upload.
- 19. Proceed to initiating a Ballot Re-Circulation