

P802.1Qca – D0.5 Editor's Report

Comment Resolution for TG Ballot

János Farkas
janos.farkas@ericsson.com

January 22, 2014

Ballot Statistics



| CATEGORY | All respondents | |
|---------------------|-----------------|-----|
| | TOTAL | % |
| Yes | 4 | 16 |
| No | 5 | 20 |
| Voting Yes or No | 9 | 36 |
| Abs. Time | 4 | 16 |
| Abs. Expertise | 12 | 48 |
| Abs. Other | 0 | 0 |
| Respondents | 25 | 100 |
| Voters | N/A | N/A |
| Liaisons responding | 0 | 0 |
| No. of commenters | 8 | 30 |
| No. of comments | 45 | |
| TR | 19 | |
| ER | 9 | |

Major Changes from D0.4



- › new subclause (45.1.2) on the use of VIDs for explicit paths – joint contribution of Nigel Bragg and the editor
 - ad hoc explicit paths
 - explicit paths along template trees
- › subclause 45.1.3 is on MAC addresses and ISIS-PCR (former 45.1.4)
- › new subclause (45.1.5) Filtering Database entries for explicit paths
- › two new figures and corresponding text
- › (updates indicated by change bars)

Discussion Items – Joint Meeting



- › 41: amendment to 802.1Q vs 802.1Q-REV?
- › 40: terminology: tree vs path
- › 13, 45: delays, accumulated latency
- › 11, 12: SRP – IS-IS (Qcc – Qca) collaboration
- › 45: adding VID field to Stream sub-TLV
- › 14: Stream reservation failed vs Stream sub-TLV
- › 9: path update after topology change → reservation update
- › 10: IS-IS aging
- › 6: bandwidth allocation by multiple PCEs?

Discussion Items – Interworking Meeting



- › 35: definition for node?
- › 15: PCE definition
- › 16: MIB modules
- › 18: Group MAC
- › 42: title of 28.8
- › 5: What is identified by System ID + Circuit ID?
 - 23: p2p link vs LAN
- › 19: What does “undirected” mean?
- › 21: merging Figures 45-1 and 45-2
- › 29: “exactly as in SPBM”?
- › 30, 31: ordered list (sequence number) for tree/path description
- › 32: static path – “ loose hop only determined once”
- › 39: MRT algorithm and operation