

YANG-related Maintenance Items

YANGsters – January 21 2025

Scott Mansfield (Ericsson)

Approved

- [0230](#): 802.1Qcp-2018 maintenance: Incorrect traffic-class-table-grouping
- [0247](#): 802.1Qcp-2018: Missing copyright release for YANG modules
- [0264](#): Erronous xpath statements
- [0267](#): AdminCycleTime and Interval max values for PSFP
- [0351](#): 802.1CS-2020 YANG is not attached and does not validate
- [0360](#): syncReceiptTimeout and announceReceiptTimeout need range specified
- [0361](#): Add a managed object to control the use of signal
- [0366](#): IEEE 802.1Qcw REVISION REQUEST on allowing non-scheduled interfaces

Complete then Ballot

- [0312](#): Stream ID as a Key for YANG lists
- [0324](#): Use of Tick in List Execute state machine (802.1Q)
- [0337](#): Inaccurate description of URN usage in published YANG clauses and ongoing project(s)
- [0338](#): Inaccurate description of URN usage in published 802.1CBcv YANG clause
- [0339](#): Inaccurate description of URN usage in published 802.1ABcu YANG clause

Complete then Ballot (continued)

- [0342](#): StreamID, StreamID Group, StreamID TLV
- [0352](#): "when" statements in augments should use derived-from-or-self
- [0353](#): update to yang 1.1 so "when" statements in augments can use derived-from-or-self
- [0364](#): Stream split table in IEEE 802.1CBcv-2021 FRER YANG
- [0370](#): bridge-port augmentation maintenance item
- [0381](#): Maintenance request: 802.1Q ieee-dot1q-bridge YANG module: wrong description for filtering-entry

Technical Experts Review

- [0374](#): YANG data types scaled-ns, uscaled-ns and float64 in IEEE Std 802.1ASdn
- [0377](#): IEEE 802.1 REVISION REQUEST related to 802.1AS
- [0382](#): Maintenance request: 802.1Qdx ieee802-dot1q-cbsa YANG module: wrong default statement
- [0383](#): Maintenance request for the bridge YANG bridge address