

Seq. #	Section number	your initials	Cmnt type E, e, T, t	Part of NO vote	Corrected Text/Comment	Rationale	Disposition/Rebuttal
--------	----------------	---------------	----------------------	-----------------	------------------------	-----------	----------------------

Seq. #	Section number	your initials	Cmnt type E, e, T, t	Part of NO vote	Corrected Text/Comment	Rationale	Disposition/Rebuttal
1	8.1.3.3	RMr	t		Else if the <del>ESSID</del> designates an ad hoc network, select an ad hoc BSSID....	The ESSID ad hoc designation is not defined anywhere, and does not seem appropriate.	Concept Accepted, the clause was revised in D2.1. Specific wording was not used. Greg E to create edits to reflect this in sec 8 - to be reviewed in MAC group tues afternoon.
2	8.4.1.1.1 8.4.2.1.1 8.4.3.1.1 8.4.4.1.14	RMr			Change aPower_Management_State to aPower_Management_Mode.	Changes required to match with 8.2.1.2 (that defines aPower_Management_Mode).	accepted - in D2.1
3	8.4.1.1.1	RMr	T		Add the following: aPower_Mgt_Ability, aCF_Aware	<ol style="list-style-type: none"> <li>1. Manufactures should have the ability to provide either power saving STAs, or devices for which power saving is not applicable.</li> <li>2. CF awareness is optional throughout the draft.</li> </ol>	<p>re 1: declined, group does not see why the mgt entity would want this info or what it would do with it.</p> <p>Re 2: Accepted. Bob O to do edits and bring text back to MAC group for approval.</p>
4	8.4.2.1.1	RMr	T		Add the following: aPower_Mgt_Ability aCF_Aware	GET, GET,	Refer to my comment on 8.4.1.1.1 see 3
5	8.4.3.1.1	RMr	T		Add the following: aPower_Mgt_Ability, aCF_Aware,	Refer to my comment on 8.4.1.1.1	see 3

Seq. #	Section number	your initials	Cmnt type E, e, T, t	Part of NO vote	Corrected Text/Comment	Rationale	Disposition/Rebuttal
6	8.4.4.1	RMr	T		<p><b>Add two new subsections:</b></p> <p><b>8.4.4.x. aPower_Mgt_Ability</b></p> <p>Power_Mgt_Ability ATTRIBUTE WITH APPROPRIATE SYNTAX Boolean; BEHAVIOUR DEFINED AS "True if this station has power saving ability, false otherwise."; REGISTERED AS { iso(1) member-body(2) us(840) ieee802dot11(10036) SMT(0) attribute(7) power_mgt_ability(x) };</p> <p><b>8.4.4.y. aCF_Aware</b></p> <p>CF_Aware ATTRIBUTE WITH APPROPRIATE SYNTAX boolean; BEHAVIOUR DEFINED AS "True if this station is contention-free aware, false otherwise."; REGISTERED AS { iso(1) member-body(2) us(840) ieee802dot11(10036) SMT(0) attribute(7) cf_aware(y) };</p>	Refer to my comment on 8.4.1.1.1	see 3
7	8.4.4.1	RMr	E		From subsection 18 onwards, replace the "###" notations in the REGISTERED AS paragraphs, with the appropriate numbering.		referred to editors, anticipated to be in D2.2