2004-10-28 IEEE C802.16f-04	
Project	IEEE P802.16f Broadband Wireless Access Working Group < <u>http://ieee802.org/16</u> >
Title	Ballot comments for P802.16f/D1
Date Submitted	28 October 2004
Source(s)	Scott F. MigaldiTel:+1.847.576.0574, w10265@motorola.comGreg SchumacherTel:+1.571.426.7940, Gregory.Schumacher@nextel.comJörg SchmidtTel:+1.571.426.7940, Gregory.Schumacher@nextel.comMichael TrussTel:+1.480.732.6493, qswi13169@motorola.comLes EastwoodTel:+1.847.538.0)214511327, mtruss01@motorola.comAl WieczorekTel:+1.847.538.4360, les.eastwood@motorola.comKevin BaumTel:+1.847.576.1619, kevin.baum@motorola.comFred VookTel:+1.847.576.1619, kevin.baum@motorola.comMark CudakTel:+1.847.757.7939, fred.vook@motorola.comQiang GuoTel:+1.847.576.2573, mark.cudak@motorola.comPaul OdlyzkoTel:+1.847.538.5234, Paul.Odlyzko@motorola.comJim MollenauerTel:+1.617.244.0077, jim.mollenauer@technicalstrategy.com
Re:	Letter ballot #16, P802.16f/D1
Abstract	This contribution clarifies the changes need to section 3 with regards to the logical network management architecture.
Purpose	Additional information to clarify ballot comments
Notice	This document has been prepared to assist IEEE 802.16. It is offered as a basis for discussion and is not binding on the contributing individual(s) or organization(s). The material in this document is subject to change in form and content after further study. The contributor(s) reserve(s) the right to add, amend or withdraw material contained herein.
Release	The contributor grants a free, irrevocable license to the IEEE to incorporate material contained in this contribution, and any modifications thereof, in the creation of an IEEE Standards publication; to copyright in the IEEE's name any IEEE Standards publication even though it may include portions of this contribution; and at the IEEE's sole discretion to permit others to reproduce in whole or in part the resulting IEEE Standards publication. The contributor also acknowledges and accepts that this contribution may be made public by IEEE 802.16.
Patent Policy and Procedures	The contributor is familiar with the IEEE 802.16 Patent Policy and Procedures < <u>http://ieee802.org/16/ipr/patents/policy.html&gt;</u> , including the statement "IEEE standards may include the known use of patent(s), including patent applications, provided the IEEE receives assurance from the patent holder or applicant with respect to patents essential for compliance with both mandatory and optional portions of the standard." Early disclosure to the Working Group of patent information that might be relevant to the standard is essential to reduce the possibility for delays in the development process and increase the likelihood that the draft publication will be approved for publication. Please notify the Chair < <u>mailto:chair@wirelessman.org&gt;</u> as early as possible, in written or electronic form, if patented technology (or technology under patent application) might be incorporated into a draft standard being developed within the IEEE 802.16 Working Group. The Chair will disclose this notification via the IEEE 802.16 web site < <u>http://ieee802.org/16/ipr/patents/notices&gt;</u> .

Figure 1 illustrates the Logical Management Reference Model. It shows the Operation System interfacing with other systems.

It is not the approach to define the complete management of all the technologies that might be used in the provision of a broadband wireless network. It is, however, the intention to identify and define what will be needed from the perspective of management. Figure 1. also does not imply any physical architecture in the routing of management information.

A number of management interfaces in a broadband wireless network are identified in figure 1, namely:

- 1. between the Network Elements (NEs) and the Element Manager (EM) of a single broadband wireless network;
- 2. between the Element Manager (EM) and the Network Manager (NM) of a single broadband wireless network;

NOTE: In certain cases the Element Manager functionality may reside in the NE in which case this interface is directly from NE to Network Manager). These management interfaces are given the reference name Itf-N.

- 3. between the Network Managers and the Enterprise Systems of a single broadband wireless network;
- 4. between the Network Managers (NMs) of a single broadband wireless network;
- 5. between Enterprise Systems & Network Managers of different broadband wireless network;
- 6. between Network Elements (NEs).

