

---

Project	<b>IEEE 802.20 Working Group on Mobile Broadband Wireless Access</b> <a href="http://grouper.ieee.org/groups/802/20/"> &lt;http://grouper.ieee.org/groups/802/20/&gt;</a>
Title	<b>Text map of D2.1 to D0.1m</b>
Date Submitted	<b>2007-06-19</b> (
Source(s)	ETG                          Voice: Email:
Re:	PLB1 ballot resolution
Abstract	This document shows an <u>approximate</u> mapping of the text from D2.1 to the text of D0.1m. It is intended as a <i>textual</i> rather than <i>functional</i> map.
Purpose	In response to a ballot comment and to assist the 802.20 membership in evaluating and commenting on the evolution of the merged draft, this document provides an approximate map of the changes between D2.1 and D0.1m.
Notice	This document has been prepared to assist the IEEE 802.20 Working Group. It is offered as a basis for discussion and is not binding on the contributing individual(s) or organization(s). The material in this document is subject to change in form and content after further study. The contributor(s) reserve(s) the right to add, amend or withdraw material contained herein.
Release	The contributor grants a free, irrevocable license to the IEEE to incorporate material contained in this contribution, and any modifications thereof, in the creation of an IEEE Standards publication; to copyright in the IEEE's name any IEEE Standards publication even though it may include portions of this contribution; and at the IEEE's sole discretion to permit others to reproduce in whole or in part the resulting IEEE Standards publication. The contributor also acknowledges and accepts that this contribution may be made public by IEEE 802.20.
Patent Policy	The contributor is familiar with IEEE patent policy, as outlined in Section 6.3 of the IEEE-SA Standards Board Operations Manual < <a href="http://standards.ieee.org/guides/opman/sect6.html#6.3">http://standards.ieee.org/guides/opman/sect6.html#6.3</a> > and in <i>Understanding Patent Issues During IEEE Standards Development</i> < <a href="http://standards.ieee.org/board/pat/guide.html">http://standards.ieee.org/board/pat/guide.html</a> >.

---

## 1 Purpose

This document is intended to show that all text from the D2.1 specification has been accounted for and its non-inclusion or inclusion with modifications in D0.1m is not inadvertent. Second, to the extent possible, a best effort is made to show approximately where the functionality from D2.1 might be reflected in D0.1m.

## 2 Methodology

The mapping from D2.1 to D0.1m is done via a 3-column table. Each row of the table corresponds to a section in D2.1 *that actually contains text* (i.e. not just the chapter or section title). The cover page, header and footer, Forward and Reference parts as well as the tables of contents for chapters, sections, tables and figures are not subject to mapping in this document.

The first column of the table identifies the D2.1 section. The second column is a single letter code, indicating what happened to the text of the section in the process of merging into D0.1m, as follows:

- “M” – text from D2.1 is explicitly included in D0.1m, but with Modifications (i.e. deletions or changes)
- “N” – text from D2.1 is NOT included in D0.1m *and* is NOT replaced by alternative text from other sources.
- “R” – text from D2.1 is not included in D0.1m because it is Replaced by similar provisions in text from other sources.
- “U” – text from D2.1 is included Unmodified in D0.1m

In this context, assigning “M” or “U” codes is based upon a definition of “modification” that excludes changes in chapter and section numbers or designations (whether in the title or as references), as well as Figures and Table numbers.

The third column of the table indicates the location (i.e. section number) of approximately equivalent or similar functionality within D0.1m, for rows with “M”, “R” or “U” in the second column. It is understood that this information represents a limited attempt at functional mapping, as an exact functional map is impractical and beyond the scope of the effort. In addition, notes, comments and explanations can be placed in that column, and should actually be placed, especially for rows where the second column contains the code “N”.

## 3 Maps

Like D2.1, D0.1m is organized into a part common to both wideband and 625k-MC modes (Chapter 1), a part that is specific to the wideband mode (Chapter 2-13) and a part that is 625-MC specific (Chapter 14-27 and Appendix A). The mappings will reflect this structure.

### 3.1 Map for part common to wideband and 625k-MC

**Map of D2.1 Chapter 1 (Overview) sections to D0.1m**

Text from D2.1	Text presence in D0.1m	Notes/Comments/Section(s) in D0.1m covering homolog functionality
1.1	U	1.1
1.2	U	1.2
1.3	U	1.3
1.4.1	M	1.4.1
1.4.2	R	1.4.2
1.4.2.1	R	1.4.2.1
1.4.3	R	5.2.1.3.1 and 5.3.1.3.1
1.4.3.1	R	5.3.1.3.1
1.4.3.2	R	5.2.1.3.1 and subsections.
1.4.4.1	M	1.4.6
1.4.4.2	M	1.4.7
1.4.4.3	N	Session Configuration tokens are no longer used. The concept has been replaced with the concept of “Personalities”.
1.4.4.4	M/R	1.4.9 (Introduces InConfiguration instance instead of Suspended instance)
1.4.4.4.1		
1.4.4.5	M	1.4.9 beginning of second paragraph
1.4.4.6	U	1.4.6 The end of that section contains the text verbatim.
1.4.4.7	R/N	8.3.5.2 attribute negotiation type facilitates.
1.4.4.8	R	The Protocol overview section has been replaced with sections 1.4.2.2 (1.4.2.2.1 – 1.4.2.2.10 a section for each protocol or sublayer).
1.4.5	N/R	1.4.8 Defines the concept of an Initial Protocol Set Identifier to define a default protocol stack. Default protocols are defined in the specific sub-layer sections.
1.4.6	U	1.4.10
1.4.7	M	1.4.11
1.4.8	N	Some of the modes are no longer supported and the other information is redundant with previous text in the overview or in the PHY layer description..
1.4.8.1	U	1.4.2.3
1.4.8.1.1	U	1.4.2.3.1
1.4.9	U	1.4.3
1.4.10	M	1.4.4 – definitions are decentralized
1.4.11	M	1.4.5 – abbreviations and acronyms are

		decentralized
1.4.12	U	1.4.12 ; some additions
1.4.13	U	1.4.13
1.4.14	U	1.4.14
1.4.15	U	1.4.15
1.5.1	U	1.5.1
1.5.2	U	1.5.2
1.5.3	U	1.5.3
1.5.4	U	1.5.4
1.5.5	U	1.5.5
1.5.6	U	1.5.6
1.5.6.1	U	1.5.6.1
1.5.6.2	U	1.5.6.2

### 3.2 Map for the wideband part

**Map of D2.1 Chapter 2 (Session Control Sublayer) Sections to D0.1m**

Text from D2.1	Text presence in D0.1m	Notes/Comments/Section(s) in D0.1m covering homolog functionality
2.1	M	8.1 Includes a new subsection 8.1.2 which has no material content.
2.1.1	M	8.1.1 Modified due to restructuring of sublayer protocols
2.2	M	8.2 Modified to accommodate interactions with restructured sublayers
2.2.1	M	8.2.1
2.2.2	M	8.2.2.1, 8.2.2.2, 8.2.2.3
2.2.3	M	8.2.2.4
2.2.4	M	8.2.4 modified with subsections for InUse and InConfiguration initialization. Also added new section on PDU as 8.2.3
2.2.5	M/R	8.2.5.1, 8.2.6.1 Restructure of Message and Procedure documentation. (Procedures)
2.2.6	M/R	8.2.5.2, 8.2.6.2 (Messages) w. some changes
2.2.7	R	8.2.7 (Interfaces to other Protocols)
2.2.8	R	8.2.8
2.2.9	M	8.2.9
2.2.10	R	8.2.10
2.3 and all subsections	N	Functionalities replaced by functionality in Route Control (9)
2.4 and all subsections	R	8.3 Default Session Configuration Protocol of D2.1 has been replaced by the Basic Session

		Configuration Protocol. Which is a redesign of the session configuration protocol. This applies to all subsections of 2.4
2.5	R	Functionality provided via capabilities in 8.2 and 8.3
2.6	R	Functionality replaced with functionality in 2.3 Inter-route tunneling

**Map of D2.1 Chapter 3 (Convergence Sublayer) Sections to D0.1m**

<b>Text from D2.1</b>	<b>Text presence in D0.1m</b>	<b>Notes/Comments/Section(s) in D0.1m covering homolog functionality</b>
3.1.1	N	Replaced with overviews to individual sublayer sections to which the Convergence Sublayer functionality has been moved. Convergence Sublayer renamed the “Radio Link Layer”
3.2 and subsections – Default Signaling Transport	R	In D0.1m, signaling transport uses the Radio Link Protocol, rather than defining its own protocol. All application layer data is carried by the RLP.
3.2.1	M	2.2.1
3.2.2	M	2.2.4
3.2.3	M	2.2.5
3.2.4 Sig. Netwk. Protocol	M	2.2
3.2.4.1	M	2.2.1
3.2.4.2	U	2.2.2
3.2.4.3	M	2.2.3
3.2.4.4	M	2.2.7.3
3.2.4.5	M	2.2.7.4
3.2.4.6	M	2.2.7.6
3.2.4.7	U	2.2.7.5
3.2.4.8	M	2.2.8
3.2.5 Signaling Link Protocol	R	In D2.1, the SLP was a version of the RLP. In D0.1m, similar functionality is consolidated with the RLP.
3.2.6 Configuration Attributes	R	In D2.1, the SLP was a version of the RLP. In D0.1m, similar functionality is consolidated with the RLP.
3.2.7 Session State Info.	R	In D2.1, the SLP was a version of the RLP. In D0.1m, similar functionality is consolidated with the RLP.

3.3 “Default Data Transport”	R	Replaced with various subsections
3.3.1		No Text
3.3.1.1	R	3.3.1.1
3.3.1.2	M	3.3.1.2
3.3.1.3	M	3.3.1.3 – Note Ethernet Transport is now handled as a “application” making explicit encapsulation for any specific application no longer required. – see text in Application Layer and in 1.4 – Overview of Wideband Mode..
3.3.2	M	3.3.2
3.3.3 Route Protocol		Moved and Generalized in 3.5
3.3.3.1	M	3.5.1
3.3.3.2	M	3.5.2
3.3.3.3	R	3.5.3
3.3.3.4	M	3.5.6
3.3.3.5	M	Consolidated as p/o 3.5.6: see 3.5.6.1.3
3.3.3.6	M	3.5.7
3.3.3.7	M	3.5.8, 3.5.9
3.3.4 Radio Link Protocol	M/R	For clarity, the Radio Link Protocol was partitioned into the QoS Management Protocol, the SAR Protocol and the QN protocol. Similar functionality provided through this mechanism.
3.3.4.1	R	3.3.1.1
3.3.4.2	M/R	3.2.1.2, 3.3.5.2, 3.3.6.2
3.3.4.3	N	Eliminated due to partitioning
3.3.4.4	R	See 3.2.3, and 3.2.4
3.3.4.4.1	R	3.3.5.3.1.1
3.3.4.4.2	M/R	3.3.5.3.2 – some functionality moved to QMP
3.3.4.5	R	QoS Attributes are negotiated in the Session Configuration Protocol; see 8.3.6.2 for Message Formats
3.3.4.6	M	3.3.5.3.3
3.3.4.7	M/R	3.2.4.4, 3.3.4.7, 3.3.5.3.4, 3.3.6.4
3.3.4.8	M	3.3.6.5
3.3.5 Flow control Proto.	M	The Flow control protocol has become part of the QoS Management Protocol
3.3.5.1	M	3.2.4.3.1
3.3.5.2	U	3.2.1.2
3.3.5.3	N	Messaging for Xon/Xoff is through a different mechanism. No direct messages in 0.1m
3.3.5.4	M	3.2.4.2

3.3.5.5	M	3.2.4.3 – messaging via the signaling protocol
3.3.5.6	M	3.2.4.3 – messaging via the signaling protocol
3.3.5.7	M	3.2.4.4
3.3.5.8	M	3.2.5.5
3.3.6	M	3.2.6
3.3.7		3.2.7
3.3.7.1	R	p/o configuration parameters and local data
3.3.7.2	R	p/o configuration parameters and local data
3.3.7.3	R	Part of the Route Protocol
3.3.7.4	N	Configuration parameters and local data
3.4 and subsections Default Packet Consolidation Protocol	R	4.2 Basic packet Consolidation Protocol. Functionality moved to Lower MAC Layer
3.4.1	M	4.2.1.1
3.4.2	M	4.2.1.3
3.4.3	M	4.2.1.2
3.4.4	U	4.2.1.2.3
3.4.5	U	p/o 4.2.1.3
3.4.6	M	4.2.2
3.4.7	M	4.2.4 –
3.4.7.1	M	4.2.4.3.1
3.4.7.2	M	4.2.4.3.2
3.4.7.3	N	
3.4.7.4	R	4.2.4.3.4, 4.2.4.5 - AN/AT Procedures Consolidated into Transmit and Receive Procedures
3.4.7.5	R	4.2.4.3.4, 4.2.4.5 - AN/AT Procedures Consolidated into Transmit and Receive Procedures
3.4.8	M	4.2.4.5
3.4.9	R	4.2.6 – Attributes negotiated in Session Configuration Protocol – instead of GAUP
3.4.10	U	4.2.4.6
3.4.11	M	4.2.6
3.4.12	U	4.2.5 – Reference to Ch. 12 only
3.4.13	U	4.2.7

**Map of D2.1 Chapter 4 (Security Control Sublayer) Sections to D0.1m**

Text from D2.1	Text presence in D0.1m	Notes/Comments/Section(s) in D0.1m covering homolog functionality
4.1	R	6.1
4.2	R	6.4

4.2.1	R	6.4.1
4.2.2.1	U	6.4.2.1
4.2.2.2	M	6.4.2.2
4.2.3	R	6.4.2.3
4.2.4	U	6.4.3
4.2.5	M	6.4.6, 6.4.5 Use of InUse and InConfiguration procedures
4.2.6.1 and subsections	R	6.4.7.1.3
4.2.6.2 and subsections	R	6.4.7.1.4
4.2.6.3	R	6.4.7.1.5, 6.4.7.1.6
4.2.6.4	N	Not explicitly used – replaced with reference to [27]
4.2.6.5	R	6.4.7.1.7
4.2.7 and subsections	R	6.4.7.2 specifies the messages used
4.2.8.1	U	6.4.7.3.1
4.2.8.2	U	6.4.7.3.2
4.2.9	R	6.4.8
4.2.10	M	6.4.9
4.2.11	R	6.4.10
4.2.11.1	N	Not used in document
4.2.11.2	R	6.4.7.2.1, 6.4.7.2.2
4.2.11.3	N	Not used in document
4.2.11.4	M	6.4.10.1

**Map of D2.1 Chapter 5 (Security Sublayer) Sections to D0.1m**

<b>Text from D2.1</b>	<b>Text presence in D0.1m</b>	<b>Notes/Comments/Section(s) in D0.1m covering homolog functionality</b>
5.1	R	6.1
5.2	R	3.3.1.3
5.3	R	Folded into 6.2 (6.2.5)
5.3.2	R	6.2.1
5.3.3	M	6.2.1.4
5.3.4	M	6.2.2
5.3.5	M	6.2.3
5.3.6	R	6.2.5.1
5.3.7	U	Folded into 6.2.2
5.3.8	M	6.2.4.2
5.3.9	M	6.2.5.3
5.4	R	6.2
5.4.6.2	R	6.2.5.1.4

5.5 and subsections	R	6.3 and subsections
5.6 and subsections	R	6.2 and subsections
5.6.6.1	R	6.2.5.1.3
5.6.6.2	R	6.2.5.1.3

**Map of D2.1 Chapter 6 (Lower MAC Control ) Sections to D0.1m**

<b>Text from D2.1</b>	<b>Text presence in D0.1m</b>	<b>Notes/Comments/Section(s) in D0.1m covering homolog functionality</b>
6.1.1	R	7.1.1
6.1.2	N	
6.2.1	R	7.2.1
6.2.2.1	R	7.2.2.1
6.2.2.2	R	7.2.2.2
6.2.3.1	R	7.2.3
6.2.3.2	R	7.2.3
6.2.4.1	R	7.2.4.1
6.2.4.2	R	7.2.4.2
6.2.5.1.1	R	7.2.6.1.1
6.2.5.1.2	R	7.2.6.1.2
6.2.5.2	R	7.2.6.2
6.2.5.2.1	R	7.2.6.2.1
6.2.5.2.2	R	7.2.6.2.2
6.2.5.3	R	7.2.6.3
6.2.5.3.1	R	7.2.6.3.1 and subsections
6.2.5.3.2	R	7.2.6.3.2
6.2.5.4	R	7.2.6.5
6.2.5.4.1.1	R	7.2.6.5.1.1
6.2.5.4.1.2	R	7.2.6.5.1.4
6.2.5.4.2.1	R	7.2.6.5.2.1
6.2.5.4.2.2	R	7.2.6.5.2.2
6.2.6.1	R	7.2.7.1
6.2.7.1	R	7.2.8.1
6.2.7.2	R	7.2.8.2
6.2.8	R	7.2.9.1 and 7.2.9.2
6.2.9	R	7.2.10
6.2.10	R	7.2.11
6.3.1	R	7.4.1
6.3.2.1	R	7.4.2.1
6.3.2.2	R	7.4.2.2
6.3.3.1	R	7.4.3
6.3.3.2	R	7.4.3
6.3.4.1	R	7.4.4.1
6.3.4.2	R	7.4.4.2

6.3.5.1.1	R	7.4.6.1.1
6.3.5.1.2	R	7.4.6.1.2
6.3.5.1.3	R	7.4.6.1.3
6.3.5.1.4	R	7.4.6.1.4
6.3.5.2	R	7.4.6.2
6.3.5.3	R	7.4.6.3
6.3.5.4.1	R	7.4.6.5.2
6.3.5.4.2	R	7.4.6.5.3
6.3.5.4.3	R	7.4.6.5.1
6.3.5.4.4	R	7.4.6.5.4
6.3.5.5	R	7.4.6.6
6.3.5.6	R	7.4.6.7.1 and 7.4.6.7.2
6.3.5.6.1	R	7.4.6.7.1
6.3.5.6.2	R	7.4.6.7.2
6.3.5.7	R	7.4.6.8
6.3.5.7.1	R	7.4.6.8.1
6.3.5.7.2	R	7.4.6.8.2
6.3.5.8	R	7.4.6.9
6.3.5.8.1	R	7.4.6.9.1
6.3.5.8.2	R	7.4.6.9.2
6.3.5.9.1	N	The old BindUATI state has been moved/renamed from the Idle State protocol to the BindATI state of the Connected State Protocol. See sub sections of section 7.5.6.2
6.3.5.9.1.1	N	
6.3.5.9.1.2	N	
6.3.5.9.1.3	N	
6.3.5.9.2	N	
6.3.6.	R	7.4.7
6.3.6.1	N	Messages not supported due to changes in the state machines and in signaling.
6.3.6.2	N	
6.3.6.3	N	
6.3.6.4	N	
6.3.7.1	R	7.4.8.1
6.3.7.2	R	7.4.8.2
6.3.8	R	7.4.9 subsections
6.3.8.1	R	7.4.9.2.1
6.3.8.2	R	7.4.9.2.2
6.3.8.3	N	Messages not supported due to changes in the state machines and in signaling.
6.3.8.4	N	
6.3.9	R	7.4.10
6.3.10	R	7.4.11
6.4.1	R	7.5.1
6.4.2.1	R	7.5.2.1
6.4.2.2	R	7.5.2.2
6.4.3.1	R	7.5.3
6.4.3.2	R	7.5.3
6.4.4.1	R	7.5.4.1

6.4.4.2	R	7.5.4.2
6.4.5.1.1	R	7.5.6.1.1
6.4.5.1.2	R	7.5.6.1.2
6.4.5.1.3	R	7.5.6.1.3
6.4.5.2	R	7.5.6.3
6.4.5.2.1	N	TuneAway functionality has moved. See section 7.2.6.6 and its subsections.
6.4.5.2.1.1	N	
6.4.5.2.1.2	N	
6.4.5.2.2	R	7.5.6.3.4
6.4.5.2.2.1	R	7.5.6.3.4.1
6.4.5.2.2.2	R	7.5.6.3.4.2
6.4.5.2.3	R	7.5.6.3.1.2
6.4.5.2.4.1	R	7.5.6.3.1.1
6.4.5.2.4.2	R	7.5.6.3.1.3
6.4.5.2.5.1	R	7.5.6.3.2.1
6.4.5.2.5.2	R	7.5.6.3.2.2
6.4.5.3	R	7.5.6.5
6.4.6	R	Subsections of 7.5.7
6.4.6.1	R	7.5.7.1
6.4.6.2	N	
6.4.6.3	R	7.5.7.2
6.4.6.4	R	7.5.7.3
6.4.6.5	R	7.5.7.4
6.4.6.6	N	Change due to moving of the TuneAway functionality.
6.4.6.7	N	
6.4.6.8	R	7.5.7.11
6.4.6.9	R	7.5.7.12
6.4.7.1	R	7.5.8.1
6.4.7.2	R	7.5.8.2
6.4.8	R	7.5.9
6.4.8.1	R	7.5.9.1
6.4.8.2	R	7.5.9.2
6.4.8.3	N	Change due to moving of the TuneAway functionality.
6.4.9	R	7.5.10
6.4.10	R	7.5.11
6.4.10.1	N	Change due to moving of the TuneAway functionality.
6.5.1	R	7.6.1
6.5.2.1	R	7.6.2.1
6.5.2.2	R	7.6.2.2
6.5.3.1	R	7.6.3
6.5.3.2	R	7.6.3
6.5.4.1	R	7.6.4.1
6.5.4.2	R	7.6.4.2

6.5.5.1	R	7.6.6.1
6.5.5.2	R	7.6.6.2
6.5.5.2.1	R	7.6.6.2.1
6.5.5.2.2	R	7.6.6.2.2
6.5.5.3	R	7.6.6.3
6.5.5.4.1	R	7.6.6.4.1
6.5.5.4.1.1	R	7.6.6.4.1.2
6.5.5.4.1.2	R	7.6.6.4.1.3
6.5.5.4.1.3	R	7.6.6.4.1.4
6.5.5.4.1.4	R	7.6.6.4.1.5
6.5.5.4.2	R	7.6.6.4.2
6.5.5.4.2.1	R	7.6.6.4.2.2
6.5.5.4.2.2	R	7.6.6.4.2.3
6.5.5.4.2.3	R	7.6.6.4.2.4
6.5.5.4.2.4	R	7.6.6.4.2.6
6.5.5.4.2.5	R	7.6.6.4.2.8
6.5.5.4.2.6	N	
6.5.5.4.3.1	R	7.6.6.4.3.1
6.5.5.4.3.2	R	7.6.6.4.3.1
6.5.5.4.3.3	R	7.6.6.4.3.2
6.5.6	R	7.6.7
6.5.6.1	R	7.6.7.2
6.5.6.2	R	7.6.7.3
6.5.6.3	R	7.6.7.4
6.5.6.3.1	R	7.6.7.4.2
6.5.6.3.2	R	7.6.7.4.3
6.5.6.3.3	R	7.6.7.4.4
6.5.6.4	R	7.6.7.5
6.5.6.5	R	7.6.7.6
6.5.7.1	R	7.6.8.1
6.5.7.2	R	7.6.8.2
6.5.8	R	7.6.9
6.5.9	R	7.6.10
6.5.10	R	7.6.11
6.6.1	R	7.7.1
6.6.2.1	R	7.7.2.1
6.6.2.2	R	7.7.2.2
6.6.3.1	R	7.7.3
6.6.3.2	R	7.7.3
6.6.4.1	R	7.7.4.1
6.6.4.2	R	7.7.4.2
6.6.5.1.1	R	7.7.6.1.1
6.6.5.1.2	R	7.7.6.1.2
6.6.5.1.3	R	7.7.6.1.3

6.6.5.1.4	R	7.7.6.1.4
6.6.5.2	N	
6.6.5.3	R	7.7.6.2
6.6.5.3.1	R	7.7.6.2.1
6.6.5.3.2	R	7.7.6.2.1
6.6.5.3.3	R	7.7.6.2.2
6.6.5.3.4	R	7.7.6.2.3
6.6.5.3.5	R	7.7.6.2.4
6.6.5.3.6	N	
6.6.5.3.7	R	7.7.6.2.5
6.6.5.4	R	7.7.6.3
6.6.5.4.1	R	7.7.6.3.1
6.6.5.4.2	R	7.7.6.3.2
6.6.5.5	R	7.7.6.4
6.6.5.6	R	7.7.6.5
6.6.5.6.1	R	7.7.6.5.1
6.6.5.6.2	R	7.7.6.5.2
6.6.5.6.3	N	
6.6.5.7	R	7.7.6.6
6.6.5.7.1.1	R	7.7.6.6.1.1
6.6.5.7.1.2	R	7.7.6.6.1.2
6.6.5.7.2	R	7.7.6.6.2
6.6.5.7.3	R	7.7.6.6.3
6.6.5.7.4	R	7.7.6.6.4
6.6.5.7.5	R	7.7.6.6.5
6.6.5.7.6	R	7.7.6.6.8
6.6.6	R	Subsections of 7.7.7
6.6.6.1	R	7.7.7.1
6.6.6.2	R	7.7.7.2
6.6.6.3	R	7.7.7.2
6.6.6.4	R	7.7.7.4
6.6.6.5	R	7.7.7.5
6.6.6.6	R	7.7.7.9
6.6.6.7	R	7.7.7.10
6.6.7.1	R	7.7.8.1
6.6.7.2	R	7.7.8.2
6.6.8	R	7.7.9
6.6.8.1	N	
6.6.8.2	R	7.7.9.2.1
6.6.8.3	R	7.7.9.2.2
6.6.8.4	R	7.7.9.2.3
6.6.8.5	N	
6.6.9	R	7.7.10
6.6.10	R	7.7.11

6.6.10.1	N	
6.7.1	R	7.3.1
6.7.2.1	R	7.3.2.1
6.7.2.2	R	7.3.2.2
6.7.3.1	R	7.3.3
6.7.3.2	R	7.3.3
6.7.4.1	R	7.3.4.1
6.7.4.2	R	7.3.4.2
6.7.5.	R	Subsections of 7.3.6
6.7.5.1	R	Subsections of 7.3.6
6.7.5.1.1	R	7.3.6.1.1
6.7.5.1.2	R	7.3.6.1.2
6.7.5.2.	R	7.3.6.2
6.7.5.3	R	7.3.6.3
6.7.5.4	R	7.3.6.4
6.7.5.5	R	7.3.6.5
6.7.6	R	7.3.7
6.7.7.1	R	7.3.8.1
6.7.7.2	R	7.3.8.2
6.7.8	R	7.3.9
6.7.9	R	7.3.10
6.7.10	R	7.3.11

### Map of D2.1 Chapter 7 (Lower MAC) Sections to D0.1m

Text from D2.1	Text presence in D0.1m	Notes/Comments/Section(s) in D0.1m covering homolog functionality
7.1.1	R	4.1.1
7.1.2	R	4.1.3
7.1.3	R	4.1.4
7.1.3.1.1	R	4.1.4.1
7.1.3.1.2	R	4.1.5, 4.1.5.1, 4.1.5.1.1, 4.1.5.1.2, 4.1.5.2, 4.1.5.2.1
7.1.3.1.3	R	4.1.5, 4.1.5.1, 4.1.5.1.3, 4.1.5.1.4, 4.1.5.1.5, 4.1.5.2, 4.1.5.2.2
7.1.3.2	N	TDD open issue.
7.1.3.2.1	M	4.1.4.2
7.1.3.2.2	M	4.1.6, 4.1.6.1, 4.1.6.1.1, 4.1.6.1.2, 4.1.6.2, 4.1.6.2.1
7.1.3.2.3	N	TDD open issue
7.1.3.2.4	N	TDD open issue
7.1.3.2.5	N	TDD open issue
7.1.4.1	R	4.6.7.5, 4.8.7.8

7.1.4.2	R	4.1.2.1
7.2.1	R	4.3, 4.3.1
7.2.2.1	R	4.3.2.1
7.2.2.2	R	4.3.2.2
7.2.3.1	R	4.3.3.1
7.2.3.2	R	4.3.3.2
7.2.4	R	4.3.4
7.2.5.1	R	4.3.5.1
7.2.5.2	R	4.3.5.2
7.2.6	R	4.3.7
7.2.6.1	R	4.3.7.3
7.2.6.1.1	R	4.3.7.4, 4.3.7.4.1.1-7
7.2.6.2	R	4.3.7.2
7.2.6.3	R	4.3.7.5
7.2.6.4.1	R	4.3.7.6.1
7.2.6.4.2	R	4.3.7.6.2
7.2.6.5	R	4.3.7.7
7.2.6.6	R	4.3.7.8
7.2.7	R	4.3.8
7.2.8.1	R	4.3.9.1
7.2.8.2	R	4.3.9.2
7.2.9	R	4.3.10
7.2.10	R	4.3.11
7.2.11	N	
7.3.1	R	4.4.1
7.3.2.1	R	4.4.2.1
7.3.2.2	R	4.4.2.2
7.3.3.1	R	4.4.3.1
7.3.3.2	R	4.4.3.2
7.3.4	R	4.4.4
7.3.5.1	R	4.4.5.1, 4.4.5.2
7.3.5.2	R	4.4.5.1, 4.4.5.2
7.3.6.1	R	4.4.7.1
7.3.6.1.1	R	4.4.7.1.1
7.3.6.1.2	R	4.4.6.1.2
7.3.6.1.3	R	4.4.7.1.4
7.3.6.2	R	4.4.7.2
7.3.6.3	R	4.4.7.3
7.3.6.4	R	4.4.7.4
7.3.6.4.1.1	R	4.4.7.4.1.1
7.3.6.4.1.2	R	4.4.7.4.1.2
7.3.6.4.1.3	R	4.4.7.4.1.3
7.3.6.4.1.4	R	4.4.7.4.1.4, 4.4.7.4.1.4.1, 4.4.7.4.1.2,
7.3.6.4.1.4.1	R	4.4.7.4.1.3
7.3.6.4.1.4.2	R	

7.3.6.4.1.4.3	R	
7.3.6.4.1.5	R	4.4.7.4.1.5
7.3.6.4.2	R	4.4.7.4.2
7.3.7	R	4.4.8
7.3.8	R	4.4.9
7.3.9.1.1	R	4.4.10.1
7.3.9.1.2	R	4.4.10.2
7.3.10	R	4.4.11
7.3.11	R	4.4.12
7.3.12	R	4.4.13
7.4.1	R	4.5.1
7.4.2.1	R	4.5.2.1
7.4.2.2	R	4.5.2.2
7.4.3.1	R	4.5.3.1
7.4.3.2	R	4.5.3.2
7.4.4	R	4.5.4
7.4.5.1	R	4.5.5.1
7.4.5.2	R	4.4.5.2
7.4.6	R	4.5.6.1
7.4.6.1	R	4.5.7.1
7.4.6.1.1	R	4.5.7.1.1
7.4.6.1.2	R	4.5.7.1.2
7.4.6.2	R	4.5.7.2
7.4.6.3	R	4.5.7.3
7.4.6.3.1.1	R	4.5.7.3.1.1.1 through 4.5.7.3.3.4
7.4.6.3.1.2	R	
7.4.6.3.1.2.1	R	
7.4.6.3.1.2.2	R	
7.4.6.3.1.2.3	R	
7.4.6.3.1.2.4	R	
7.4.6.3.1.2.5	R	
7.4.6.3.1.2.6	R	
7.4.6.3.1.2.7	R	
7.4.6.3.1.2.8	R	
7.4.6.3.1.2.9	R	
7.4.6.3.1.2.10	R	
7.4.6.3.1.2.11	R	
7.4.6.3.1.2.12	R	
7.4.6.3.1.3	R	
7.4.6.3.1.4	R	
7.4.6.3.1.5	R	
7.4.6.3.1.6	R	
7.4.6.3.1.7	R	
7.4.6.3.1.8	R	
7.4.6.3.1.9	R	

7.4.6.3.2	R	
7.4.6.3.2.1	R	
7.4.7	R	4.5.8
7.4.8.1.1	R	4.5.9.1
7.4.8.1.2	R	4.5.9.2
7.4.9	R	4.5.10, 4.5.10.1
7.4.10	R	4.5.11
7.4.11	R	4.5.12
7.5.1	R	4.6.1
7.5.2.1	R	4.6.2.1
7.5.2.2	R	4.6.2.2
7.5.3.1	R	4.6.3.1
7.5.3.2	R	4.6.3.2
7.5.4	R	4.6.4
7.5.5.1	R	4.6.5.1
7.5.5.2	R	4.4.6.2
7.5.6	R	4.6.7
7.5.6.1.1	R	4.6.7.1.1
7.5.6.1.2	R	4.6.7.1.2
7.5.6.2	R	4.6.7.2
7.5.6.3	R	4.6.7.3
7.5.6.4	R	4.6.7.4
7.5.6.4.1	R	4.6.7.4.1.1
7.5.6.4.1.1	R	4.6.7.4.1.1 through 4.6.7.4.1.4
7.5.6.4.1.1.1	R	
7.5.6.4.1.1.2	R	
7.5.6.4.1.1.3	R	
7.5.6.4.1.1.4	R	
7.5.6.4.1.1.5	R	
7.5.6.4.1.1.6	R	
7.5.6.4.1.1.7	R	
7.5.6.4.1.1.8	R	
7.5.6.4.1.1.9	R	
7.5.6.4.1.2	R	
7.5.6.4.1.2.1	R	
7.5.6.4.1.2.2	R	
7.5.6.4.1.2.3	R	
7.5.6.4.1.2.4	R	
7.5.6.4.1.2.5	R	
7.5.6.4.1.2.6	R	
7.5.6.4.1.2.7	R	
7.5.6.4.1.2.8	R	
7.5.6.4.1.2.9	R	
7.5.6.4.1.3	R	
7.5.6.4.1.4	R	

7.5.6.4.1.5	R	
7.5.6.4.1.6	R	
7.5.6.4.2	R	4.6.7.4.2
7.5.6.4.2.1	R	4.6.7.4.2.1
7.5.6.4.2.2	R	4.6.7.4.2.2
7.5.6.4.2.3	R	4.6.7.4.2.3
7.5.6.5	N	
7.5.6.6	R	4.6.7.5
7.5.6.6.1	R	4.6.7.5
7.5.6.7	R	4.6.7.6
7.5.6.7.1	R	4.6.7.6.1
7.5.6.7.2	R	4.6.7.6.2
7.5.6.7.3	R	4.6.7.6.3
7.5.7.1	R	4.6.8.1
7.5.7.1.1	R	4.6.8.1.1 through 4.6.8.2.2
7.5.7.1.2	R	
7.5.7.1.3.1	R	
7.5.7.1.3.2	R	
7.5.7.1.3.3	R	
7.5.7.2	R	
7.5.7.2.1	R	
7.5.7.2.2	R	
7.5.8	R	4.6.9 and its subsections
7.5.9.1	R	4.6.10.1
7.5.9.2	R	4.6.10.2
7.5.10	R	4.6.11 and its subsections
7.5.11	R	4.6.12
7.5.12	R	4.6.13
7.6.1	R	4.7.1
7.6.2.1	R	4.7.2.1
7.6.2.2	R	4.7.2.2
7.6.3.1	R	4.7.3.1
7.6.3.2	R	4.7.3.2
7.6.4	R	4.7.4
7.6.5.1	R	4.7.5.1
7.6.5.2	R	4.7.5.2
7.6.6.1.1	R	4.7.7.1.1
7.6.6.1.2	R	4.7.7.1.2
7.6.6.2	R	4.7.7.2
7.6.6.3	R	4.7.7.3
7.6.6.3.1	N	
7.6.6.3.2	R	4.7.7.3.1
7.6.6.3.3	N	
7.6.6.3.4	R	4.7.7.3.2
7.6.6.3.5	R	4.7.7.3.6

7.6.6.3.5.1	R	4.7.7.3.6.1
7.6.6.3.5.2	R	4.7.7.3.6.3
7.6.6.3.6	R	4.7.7.3.10
7.6.6.3.6.1	R	4.7.7.3.10.1
7.6.6.3.6.2	R	4.7.7.3.10.2
7.6.6.3.6.3	R	4.7.7.3.10.3
7.6.6.3.6.4	R	4.7.7.3.10.4
7.6.6.3.7	R	4.7.7.3.12
7.6.6.3.7.1	R	4.7.7.3.12.1
7.6.6.3.7.2	R	4.7.7.3.12.2
7.6.6.3.7.3	R	4.7.7.3.12.3
7.6.6.3.8	R	4.7.7.3.13
7.6.6.3.8.1	R	4.7.7.3.13.1
7.6.6.3.8.2	R	4.7.7.3.13.2
7.6.6.3.8.3	R	4.7.7.3.13.4
7.6.6.3.9	R	4.7.7.3.7
7.6.6.3.10	R	4.7.7.3.14 and subsections
7.6.6.3.11.1	R	4.7.7.3.17.1
7.6.6.3.11.2	R	4.7.7.3.17.3
7.6.6.3.11.2.1	R	4.7.7.3.17.3.1
7.6.7	R	4.7.8.1
7.6.8.1.1	N	
7.6.8.1.2	N	
7.6.9	R	4.7.9.1
7.6.9.1	R	4.7.9.2.1
7.6.10	R	4.7.10
7.6.11	R	4.7.11
7.7.1	R	4.8.1
7.7.2.1	R	4.8.2.1
7.7.2.2	R	4.8.2.2
7.7.3.1	R	4.8.3.1
7.7.3.2	R	4.8.3.2
7.7.4	R	4.8.4
7.7.5.1	R	4.8.5.1
7.7.5.2	R	4.8.5.2
7.7.6	R	4.8.6.1
7.7.6.1.1	R	4.8.7.1.1
7.7.6.1.2	R	4.8.7.1.2
7.7.6.2	R	4.8.7.2
7.7.6.3	R	4.8.7.3
7.7.6.4	R	4.8.7.4
7.7.6.4.1.1	R	4.8.7.4.1 through 4.8.7.4.1.9 including subsections
7.7.6.4.1.1.1	R	
7.7.6.4.1.1.2	R	
7.7.6.4.1.1.3	R	

7.7.6.4.1.1.4	R	
7.7.6.4.1.1.5	R	
7.7.6.4.1.1.6	R	
7.7.6.4.1.2	R	
7.7.6.4.1.2.1	R	
7.7.6.4.1.2.2	R	
7.7.6.4.1.2.3	R	
7.7.6.4.1.2.4	R	
7.7.6.4.1.2.5	R	
7.7.6.4.1.3	R	
7.7.6.4.1.4	R	
7.7.6.4.1.5	R	
7.7.6.4.1.6	R	
7.7.6.4.1.6.1	R	
7.7.6.4.1.7	R	
7.7.6.4.1.8	R	
7.7.6.4.2	R	4.8.7.4.2
7.7.6.4.3	R	4.8.7.4.3
7.7.6.5	R	4.8.7.5
7.7.6.6	R	4.8.7.7
7.7.6.7	R	4.8.7.8
7.7.6.7.1	R	4.8.7.8
7.7.6.8	R	4.8.7.9
7.7.7	R	4.8.8
7.7.7.1	R	4.8.8.2
7.7.7.2	R	4.8.8.1
7.7.7.3	R	4.8.8.3
7.7.7.3.1	R	4.8.8.3.1 to 4.8.8.3.4
7.7.7.3.2	R	
7.7.7.3.3	R	
7.7.7.3.4	R	
7.7.8	R	4.8.9 and 4.8.9.1
7.7.8.1	N	
7.7.8.2	N	
7.7.9.1.1	R	4.8.10.1
7.7.9.1.2	R	4.8.10.2
7.7.10	R	4.8.11 and subsections
7.7.10.1	R	4.8.11.2.3
7.7.11	R	4.8.12
7.7.12	R	4.8.13

**Map of D2.1 Chapter 8 (Physical Layer Protocols) Sections to D0.1m**

Text from D2.1	Text presence in D0.1m	Notes/Comments/Section(s) in D0.1m covering homolog functionality

8.1.1	N	Overview
8.1.2	N	Commands
8.1.3	N	Public Data
8.1.4	N	Protocol Data Unit [1 PHY packet consists of 1 MAC packet]
8.1.5	N	Protocol initiation and swap procedures
8.1.6	N	Protocol swap
8.1.7	N	Procedures
8.1.8.1	M	7.5.7.10: TimingCorrection message modified
8.1.9	N	Interface to other protocols
8.1.10	N	Configuration attributes
8.1.11	M	5.1.2: Table with a shorter list of numeric constants
8.1.12	N	Session state information for Physical Layer protocols not found in D0.1m

#### Map of D2.1 Chapter 9 (Physical Layer) Sections to D0.1m

Text from D2.1	Text presence in D0.1m	Notes/Comments/Section(s) in D0.1m covering homolog functionality
9.1	M	5.1.3.1: Different PHY modes changed to acquisition modes only
9.2	M	5.1.7.1: Packet splitting subsection restructured into Coding and modulation
9.2.1	M	5.1.7.1: Coding and modulation-packet splitting
9.2.2	M	5.1.7.3: Replaced by Table listing the type of coding used for each channel type
9.2.2.1	M	5.1.7.3.1: text changed, but the convolutional encoder polynomials are the same: R-1/3,K=9
9.2.2.2	M	5.1.7.3.3, 5.1.7.3.3.1: Turbo encoder
9.2.2.2.1	M	5.1.7.3.3.2: Turbo interleaver-minor text changes in step 3
9.2.3	M	5.1.7.4: Channel Interleaving
9.2.3.1	M	5.1.7.4.1: Bit Demultiplexing – minor text changes
9.2.3.2	M	5.1.7.4.1.1: Bit Permuting-significant changes
9.2.4	M	5.1.7.5: Sequence repetition
9.2.5	M	5.1.7.6: Data scrambling
9.2.6	M	5.1.7.7: Modulation
9.2.6.1	M	5.1.7.7.1: QPSK modulation-minor text changes
9.2.6.2	M	5.1.7.7.2: 8PSK modulation
9.2.6.3	M	5.1.7.7.3: 16-QAM modulation
9.2.6.4	M	5.1.7.7.4: 64-QAM modulation
9.3.1	M	5.3.1: Access Network-Transmitter: Range of Pilot PN reduced from 4096 to 512
9.3.2.1	M	5.1.8.1.1: FL Superframe structure, 5.3.1.3.1: FL Channel

		structure
9.3.2.2	M	5.1.8.1.2: FL OFDM Symbol Structure
9.3.2.2.1	M	5.1.8.1.2: Guard Subcarriers- part of symbol structure
9.3.2.2.2	N	Quasi-guard subcarriers – deleted
9.3.2.2.3	M	5.1.8.1.2: OFDM symbol duration [Table]
9.3.2.2.4	M	5.1.8.1.2: Superframe duration [Table]
9.3.2.2.5	M	5.1.14.1: Hop-port Indexing
9.3.2.3	M	5.1.9.1: Multiple transmit antennas
9.3.2.4	M	5.1.8.1.4: Superframe preamble modulation in BeaconAcquisitionOff mode
9.3.2.4.1	N	Offset_p definition not found in D0.1m
9.3.2.4.2	M	5.3.1.3.2.3: Preamble pilot channel
9.3.2.4.3	N	Brief introduction of the two broadcast control channel
9.3.2.4.3.1	M	5.3.1.3.2.4: Forward Primary broadcast control channel
9.3.2.4.3.2	M	5.3.1.3.2.5: Forward Secondary broadcast control channel
9.3.2.4.4	M	5.3.1.3.2.1.1, 5.3.1.3.2.2.1, 5.3.1.3.2.2.2: F-ACQCH
9.3.2.4.5	M	5.3.1.3.2.2: F-OSICH
9.3.2.5	N	Removed: Superframe preamble modulation in BeaconAcquisitionOn mode
9.3.2.5.1	N	Removed: Superframe preamble modulation in BeaconAcquisitionOn mode
9.3.2.5.2	N	Removed: Superframe preamble modulation in BeaconAcquisitionOn mode
9.3.2.5.3	N	Removed: Superframe preamble modulation in BeaconAcquisitionOn mode
9.3.2.5.3.1	N	Removed: Superframe preamble modulation in BeaconAcquisitionOn mode
9.3.2.5.3.2	N	Removed: Superframe preamble modulation in BeaconAcquisitionOn mode
9.3.2.5.4	N	Removed: Superframe preamble modulation in BeaconAcquisitionOn mode
9.3.2.5.5	N	Removed: Superframe preamble modulation in BeaconAcquisitionOn mode
9.3.2.6	N	FL PHY frame modulation - introduction
9.3.2.6.1	M	5.1.14.5: Hop sequence generation
9.3.2.6.1.1	M	5.1.6.1: Common permutation generation algorithm
9.3.2.6.1.2	M	5.1.14.2, 5.1.14.3, 5.1.14.4, 5.1.14.5.1, 5.1.14.5.2: Channel structure changed
9.3.2.6.1.2.1	N	“ReservedFLBandwidth Segment” not found in D0.1m
9.3.2.6.1.2.2	N	Hijt global generation: FLDiversityHopping Mode OFF
9.3.2.6.1.2.3	N	Hijt global generation in BlockHopping mode: FLDiversityHopping Mode ON
9.3.2.6.1.2.4	N	Hijt global generation in SymbolRateHopping mode: FLDiversityHopping Mode ON
9.3.2.6.1.2.5	M	5.1.14.5.1: BRCH hop port to subcarrier mapping (Hijt)

		sector generation)
9.3.2.6.1.2.6	N	Generation of Hijt sector in SymbolRateHopping mode
9.3.2.6.2	M	5.3.1.3.3: Pilot Channels
9.3.2.6.2.1	M	5.3.1.3.3.1: Forward Common pilot channel
9.3.2.6.2.1.1	M	5.3.1.3.3.1: Forward Common pilot channel
9.3.2.6.2.1.2	M	5.3.1.3.3.1: Forward Common pilot channel
9.3.2.6.2.2	N	Auxilliary pilot not found in D0.1m
9.3.2.6.2.3	M	5.3.1.3.3.2: Forward dedicated pilot channel
9.3.2.6.2.3.1	M	5.3.1.3.3.2.1: Forward dedicated pilot format 0
9.3.2.6.2.3.2	M	5.3.1.3.3.2.2: Forward dedicated pilot format 1
9.3.2.6.2.3.3	M	5.3.1.3.3.2.3: Forward dedicated pilot format 2
9.3.2.6.3	M	5.3.1.3.4.9: Forward Shared Control channel
9.3.2.6.3.1	M	5.3.1.3.4.9.1: F-SCH encoding
9.3.2.6.3.2	M	5.3.1.3.4.2.1: Forward ACK channel
9.3.2.6.3.3	M	5.3.1.3.4.8: Forward power control channel
9.3.2.6.3.4	M	5.3.1.3.4.6: Forward Fast OSI channel
9.3.2.6.3.5	M	5.3.1.3.4.9.2: F-SCH modulation
9.3.2.6.4	M	5.3.1.3.5: Forward Data Channel (F-DCH)
9.3.2.6.4.1	M	5.3.1.3.5.4: SISO mode
9.3.2.6.4.2	M	5.3.1.3.5.6: STTD mode;
9.3.2.6.4.3	M	5.3.1.3.5.7: MIMO MCW mode
9.3.2.6.4.3.1	M	5.3.1.3.5.7.1-3: MIMO MCW transmitter structure
9.3.2.6.4.4	M	5.3.1.3.5.8: MIMO SCW mode
9.3.2.6.4.5	N	Erasure sequence not found in D0.1m
9.3.2.7	M	5.1.7.6, 5.1.6.3: Data scrambling / Common scrambling sequence
9.3.2.8	M	5.1.7.6, 5.1.6.3: Cell-specific scrambling for F-DPICH
9.3.2.9	M	5.1.8.3: Time-Domain processing
9.3.2.9.1	M	5.1.8.2.3: Symbol start time; text for TDD mode included
9.3.2.9.2	M	5.1.8.3.1: IFFT operation
9.3.2.9.3	M	5.1.8.3.2: Windowing
9.3.2.9.4	M	5.1.8.3.3: Overlap and add operation
9.3.3.1	M	5.3.1.5.1: Timing reference source
9.3.3.2	U	5.3.1.5.2: Sector transmission time
9.4.1	M	5.2: Access Terminal requirements; 5.2.1.3.1: Modulation
9.4.1.1	M	5.1.8.2.1: Reverse-link Superframe structure; TDD added
9.4.1.2	M	5.1.8.2.2: OFDM symbol structure
9.4.1.2.1	N	Guard subcarriers description not found in D0.1m
9.4.1.2.2	N	Quasi-guard subcarriers description not found in D0.1m
9.4.1.2.3	M	5.1.8.2.3: OFDM symbol start time; Table 128: duration
9.4.1.2.4	M	Table 130: Superframe duration
9.4.1.2.5	M	5.2.1.3.1.1: Reverse link channel structures
9.4.1.2.6	M	5.1.11.1: Hop-port indexing
9.4.1.3	M	5.1.11.2: Hop sequence generation
9.4.1.3.1	M	5.1.6.1: Common permutation generation algorithm

9.4.1.3.2	M	5.1.11.4, 5.1.11.5, 5.1.11.6, 5.1.11.7: Reverse link hop permutation generation
9.4.1.3.2.1	M	5.1.11.3, 5.1.11.8: CDMA subsegment hopping
9.4.1.3.2.2	M	5.1.11.5.4
9.4.1.3.2.3	M	5.1.11.5.4
9.4.1.3.2.4	M	5.1.11.5.5
9.4.1.4	M	5.1.12: R-ACKCH
9.4.1.4.1	M	5.1.12.1: Reverse OFDMA dedicated control channel subcarrier allocation; 5.1.12.2-4
9.4.1.4.2	M	5.1.12.5: Reverse ACK channel resource indexing
9.4.1.4.3	M	5.1.12.3, 5.1.12.4, 5.2.1.3.4.3.2: R-ACK resource assignment
9.4.1.4.4	M	5.2.1.3.4.3.3: R-ACK channel modulation
9.4.1.5	M	5.2.1.3.2, 5.2.1.3.3, 5.2.1.3.4: Reverse link control segment modulation
9.4.1.5.1	M	5.2.1.3.2: Modulation
9.4.1.5.1.1	M	5.1.6.6: Walsh sequence definition
9.4.1.5.1.2	M	5.2.1.3.3.3: Reverse access channel
9.4.1.5.1.3	N	R-CQICH binary sequence
9.4.1.5.1.4	N	R-BFCH binary sequence
9.4.1.5.1.5	N	R-SFCH binary sequence
9.4.1.5.1.6	N	R-REQCH binary sequence
9.4.1.5.1.7		5.2.1.3.3.1: Reverse pilot channel; 5.2.1.3.3.2: Reverse auxiliary pilot channel; 5.2.1.3.4.1: Reverse dedicated pilot channel
9.4.1.5.2	M	5.2.1.3.2.2: Multiplexing the CDMA channels
9.4.1.5.3	N	HPSK scrambling
9.4.1.5.4	N	Control segment complex-valued signal in time domain
9.4.1.5.5	M	5.2.1.3.2.3: DFT operation
9.4.1.6	M	5.2.1.3.3.5: CDMA data channel; 5.2.1.3.4.4: OFDMA Data channel
9.4.1.6.1	M	5.2.1.3.4.1: Reverse dedicated pilot channel (R-DPICH)
9.4.1.6.1.1.1	M	5.2.1.3.4.1.1.1: R-DPICH formats 0 and 1
9.4.1.6.1.1.2	M	5.2.1.3.4.1.1.1: R-DPICH formats 0 and 1
9.4.1.6.2	M	5.2.1.3.4.4, 5.2.1.3.4.4.5: Reverse OFDMA data channel
9.4.1.6.2.1	M	5.2.1.3.4.4.1: Data packet encoding; 5.2.1.3.4.4.2: Data packet modulation
9.4.1.6.2.2	M	5.2.1.3.4.4.3: Erasure sequence transmission
9.4.1.6.3	M	5.1.7.6: Data scrambling
9.4.1.6.4	M	5.2.1.3.3.1.2, 5.2.1.3.4.1.2.2: Cell-specific scrambling for R-DPICH
9.4.1.7	M	5.1.8.3: Time-domain processing
9.4.1.7.1	M	5.1.8.2.3: Symbol start time
9.4.1.7.2	M	5.1.8.3.1: IFT operation
9.4.1.7.3	M	5.1.8.3.2: Windowing

9.4.1.7.4	M	5.1.8.3.3: Overlap & Add
9.4.2	M	5.2.2.3: Synchronization & Timing

**Map of D2.1 Chapter 10 (Common Algorithms) Sections to D0.1m**

<b>Text from D2.1</b>	<b>Text presence in D0.1m</b>	<b>Notes/Comments/Section(s) in D0.1m covering homolog functionality</b>
10.1	R	11.2.1 Channel Record
10.2	M	11.2.2
10.3	M	11.2.3
10.4	U	11.1.5
10.5	U	11.1.8
10.6	U	11.1.6
10.7	M	11.1.7
10.8	U	11.1.9
10.9	R	Replaced by functionality in Session Configuration Protocol
10.10	M	11.2.4
10.11	M/R	12.1..1 and 12.1.2

**Map of D2.1 Chapter 11 (Assigned Names and Numbers) Sections to D0.1m**

<b>Text from D2.1</b>	<b>Text presence in D0.1m</b>	<b>Notes/Comments/Section(s) in D0.1m covering homolog functionality</b>
11.1	M	12
11.2	R	Described in individual sections
11.3	R	Described in individual sections of protocols
11.4	N	
11.5	R	Session protocol redesigned to not use tokens.
11.6 and subsections	R	Flows identified via reference to 3GPP2 C.R1001

**Map of D2.1 Chapter 12 (Precoding and SDMA Codebooks) Sections to D0.1m**

<b>Text from D2.1</b>	<b>Text presence in D0.1m</b>	<b>Notes/Comments/Section(s) in D0.1m covering homolog functionality</b>
12	R	5.1.9

**Map of D2.1 Chapter 13 (MAC and PHY MIB) Sections to D0.1m**

<b>Text from D2.1</b>	<b>Text presence in D0.1m</b>	<b>Notes/Comments/Section(s) in D0.1m covering homolog functionality</b>
13	R	13 The MIB is largely new in order to match the new functionality and protocol descriptions; however, it provides the same

		level of management information as the previous MIB.
--	--	--

### ***3.3 Map for the 625k-MC part***

Since there were no changes in the 625k-MC part between D2.1 and D0.1m, no explicit map is necessary: the sections in D0.1m have the same designation and content as the sections in D2.1.