

Proposed Foundational Objectives

Jeffery J. Maki, Juniper Networks

Supporters

- Shimon Muller, Axalume
- Rob Stone, Broadcom
- John Johnson, Broadcom
- Mark Gustlin, Cisco
- Gary Nicholl, Cisco
- Matt Traverso, Cisco
- Vipul Bhatt, Finisar
- Ted Sprague, Infinera
- Hai-Feng Liu, Intel
- David Ofelt, Juniper Networks
- David Lewis, Lumentum
- Kohichi Tamura, Lumentum
- Brian Welch, Luxtera
- Matt Brown, Macom
- Mike Dudek, Marvell
- David Malicoat, Senko
- Ed Ulrichs, Source Photonics
- Dave Estes, Spirent
- Kenneth Jackson, Sumitomo
- Paul Brooks, Viavi

Proposed Foundational Objectives

- Support a MAC data rate of 100 Gb/s
- Support a MAC data rate of 400 Gb/s
- Support full-duplex operation only
- Preserve the Ethernet frame format utilizing the Ethernet MAC
- Preserve minimum and maximum FrameSize of current IEEE 802.3 standard
- Support a BER of better than or equal to 10^{-12} at the MAC/PLS service interface (or the frame loss ratio equivalent) for 100 Gb/s operation
- Support a BER of better than or equal to 10^{-13} at the MAC/PLS service interface (or the frame loss ratio equivalent) for 400 Gb/s operation