100GEL MTF Measurements

Sam Kocsis

Contributors

- Chris DiMinico, PHY-SI

Overview

- This contribution is measured data for an OSFP MTF, in response to the call for action from several small working groups
- Goal: Advance the development of the MTF performance requirements and COM tool for 100GEL channels
- Data collected 10MHz-50GHz, 10MHz steps
- Total (16) Files Posted:
  - RX6_THRU
  - RX6_RX1_FEXT
  - RX6_RX2_FEXT
  - RX6_RX3_FEXT
  - RX6_RX4_FEXT
  - RX6_RX5_FEXT
  - RX6_RX7_FEXT
  - RX6_RX8_FEXT
  - RX6_TX1_NEXT
  - RX6_TX2_NEXT
  - RX6_TX3_NEXT
  - RX6_TX4_NEXT
  - RX6_TX5_NEXT
  - RX6_TX6_NEXT
  - RX6_TX7_NEXT
  - RX6_TX8_NEXT

Insertion Loss





Return Loss


OSFP SMT RX6 Return Loss (SDD11)
Magnitude in dB
Frequency in GHz
X: 26.56
Y: -17.58
data
0
-10
-20
-30
-40
-50
-60
0
5
10
15
20
25
30
35
40
45
50


OSFP SMT RX6 Return Loss (SDD22)
Magnitude in dB
Frequency in GHz
X: 26.56
Y: -17.87
data
0
-10
-20
-30
-40
-50
-60
0
5
10
15
20
25
30
35
40
45
50

OSFP Crosstalk

Victim
Cat1 Aggressor
Cat2 Aggressor
Cat3 Aggressor
Cat4 Aggressor

Near-End Crosstalk Map

TX1	TX3	TX5	TX7			RX8	RX6	RX4	RX2
TX2	TX4	TX6	TX8			RX7	RX5	RX3	RX1

Far-End Crosstalk Map

TX1	TX3	TX5	TX7			RX8	RX6	RX4	RX2
TX2	TX4	TX6	TX8			RX7	RX5	RX3	RX1

Crosstalk


OSFP SMT RX6 PowerSum NEXT
powersum
data
Magnitude in dB
Frequency in GHz
0
-10
-20
-30
-40
-50
-60
-70
-80
0
5
10
15
20
25
30
35
40
45
50


OSFP SMT RX6 PowerSum FEXT
powersum
data
Magnitude in dB
Frequency in GHz
0
-10
-20
-30
-40
-50
-60
-70
-80
0
5
10
15
20
25
30
35
40
45
50